

2022 Q4 MOBILE MONITORING VAN COMMERCE CITY NORTH DENVER COMMUNITY AIR MONITORING NETWORK COMMERCE CITY, COLORADO

Prepared For:

Suncor Energy (U.S.A.) Inc.
5801 Brighton Boulevard
Commerce City, CO 80022

Prepared By:

Montrose Air Quality Services, LLC
990 W 43rd Avenue
Denver, CO 80211

Document Number: **085AA-022555-RT-279**
Report Period: **4th Quarter, 2022**
Submittal Date: **February 6, 2023**



TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
EXECUTIVE SUMMARY	3
1.0 INTRODUCTION	4
2.0 MOBILE SAMPLING PROGRAM.....	4
2.1 Mobile Van Air Sampling Description	4
2.2 Mobile Monitoring Van Air Sampling Methods.....	6
2.3 Screening Health Risk Assessment Methods.....	7
3.0 SUMMARY AND DISCUSSION OF RESULTS.....	10
3.1 Summary of Mobile Monitoring Van Results.....	10
3.2 Screening Health Risk Assessment Results.....	10
3.3 Uncertainty Evaluation	18
3.4 Program Changes.....	18

LIST OF APPENDICES

- A ISOMER CHEMICAL SAMPLING DETAILS
- B DAILY WIND ROSES
- C SCREENING RISK ASSESSMENT DETAILS (ALPHABETICAL ORDER BY NEIGHBORHOOD NAME)
- D CALIBRATION AND QA/QC DATA
- E CALIBRATION GAS CERTIFICATION SHEETS

LIST OF TABLES

2-1 MOBILE MONITORING VAN PROGRAM CHEMICALS	5
2-2 NEIGHBORHOOD MONITORING PROGRAM DETAILS	6

LIST OF FIGURES

2-1 MOBILE MONITORING VAN PROGRAM ROUTE THROUGH SIX NEIGHBORHOOD AREAS	7
3-1 ADAMS CITY NEIGHBORHOOD: NOVEMBER 18, 2022.....	12
3-2 DUPONT NEIGHBORHOOD: NOVEMBER 15, 2022	13
3-3 ELYRA-SWANSEA NEIGHBORHOOD: NOVEMBER 17, 2022.....	14
3-4 GLOBEVILLE NEIGHBORHOOD: NOVEMBER 17, 2022	15
3-5 PIONEER PARK NEIGHBORHOOD: NOVEMBER 16, 2022.....	16
3-6 WESTERN HILLS NEIGHBORHOOD: NOVEMBER 14, 2022	17

EXECUTIVE SUMMARY

In response to feedback received by Suncor Energy (U.S.A.) Inc. (Suncor) through community engagement conducted in the fall of 2020, Suncor voluntarily committed to developing a continuous, near real-time air monitoring program to gain insight into air quality for neighborhoods in the vicinity of the Suncor refinery in Commerce City, Colorado. Montrose Environmental Group - Air Quality Services, LLC (Montrose) was contracted by Suncor to deploy, operate and maintain the network in the Commerce City and North Denver (CCND) neighborhoods. Air monitoring was accomplished through three separate technical approaches: (1) continuous, near real-time monitoring for the following analytes¹: carbon monoxide (CO), sulfur dioxide (SO₂), hydrogen sulfide (H₂S), nitric oxide or nitrogen oxide (NO), nitrogen dioxide (NO₂), particulate matter (PM_{2.5}) and total volatile organic compounds (VOCs); (2) periodic collection and laboratory analysis for the presence of specific VOCs from Summa canisters; and (3) periodic real-time air monitoring throughout neighborhoods using a mobile monitoring van to detect the presence of specific VOCs and hydrogen sulfide (H₂S). This report details approach number three, the periodic real-time air monitoring through six neighborhoods with the mobile monitoring van and a screening health risk analysis of the detected chemicals. Continuous real-time air monitoring and Summa canister sampling data are presented in separate reports.

The mobile monitoring van contains the equipment necessary to identify and quantitate individual chemicals present in ambient air at ultra-low concentrations. This equipment measures and reports concentrations of select chemicals at sub-parts per billion (ppb) levels and as quickly as one measurement per second. During the monitoring period, the mobile monitoring van followed a dense route through each of the six CCND residential neighborhoods that fall within a three-mile radius around the refinery. Accessible streets in the monitored neighborhoods were traversed at approximately 10 miles per hour (MPH) while collecting a data point for each chemical every 1 second. During the fourth quarter 2022 sampling period (November 14-18), the mobile monitoring van was in a total of six neighborhoods and collected more than 74,800 data points across five days of monitoring, resulting in approximately 53,700 1-hour rolling average concentrations. Meteorological conditions were also reported in real time.

Health scientists from CTEH, LLC (CTEH®) (a subsidiary company of Montrose) performed a screening-level human health risk assessment based on the data collected by Montrose. This evaluation was consistent with federal and state risk assessment guidelines and was conducted to determine whether the estimated 1-hour maximum measured concentrations of individual or cumulative (combined) VOCs could potentially pose acute (short-term) health hazards. The air monitoring data and health risk assessment indicate:

- Air monitoring data and health risk assessment indicate all measured individual and combined air concentrations were below their respective acute health reference levels in all neighborhoods.
- Results indicate the measured concentrations are likely to be without any appreciable risk of adverse acute health effects, even for sensitive sub-populations.

¹ An “analyte” is a material that a measuring device is designed to detect and measure. It may be a chemical gas, an airborne particle, or other type of material.

1.0 INTRODUCTION

In response to feedback received by Suncor Energy (U.S.A.) Inc. (Suncor) through community engagement conducted in the fall of 2020, voluntarily committed to developing a continuous, near real-time air monitoring program to gain insight into air quality for neighborhoods in the vicinity of the Suncor refinery in Commerce City, Colorado. Montrose Environmental Group - Air Quality Services, LLC (Montrose) was contracted by Suncor to deploy, operate and maintain the network in the Commerce City and North Denver (CCND) neighborhoods. Air monitoring was accomplished through three separate technical approaches: (1) continuous, near real-time stationary monitoring for the following analytes: carbon monoxide (CO), sulfur dioxide (SO₂), hydrogen sulfide (H₂S), nitric oxide or nitrogen oxide (NO), nitrogen dioxide (NO₂), particulate matter (PM_{2.5}) and total volatile organic compounds (VOCs); (2) periodic collection and laboratory analysis for the presence of specific VOCs from Summa canisters; and (3) periodic real-time air monitoring throughout neighborhoods using a mobile monitoring van to detect the presence of specific chemicals. An “analyte” is a material that a measuring device is designed to detect and measure. It may be a chemical gas, an airborne particle, or other type of material. This report details approach number three. The continuous real-time community air monitoring and Summa canister sampling data are presented in separate reports. Air monitoring, sampling and analysis from approaches (1) and (2) were conducted in accordance with the Quality Assurance Project Plan (QAPP) that can be found online at ccnd-air.com/documents.

2.0 MOBILE SAMPLING PROGRAM

2.1 Mobile Van Air Sampling Description

The mobile monitoring van is a Mercedes 2500 Sprinter Van outfitted with equipment necessary to identify and quantitate individual chemicals present in ambient air to ultra-low concentrations. The mobile monitoring van is equipped with an Ionicon Model 6000-X2 proton transfer reaction time-of-flight mass spectrometer (PTR-TOF-MS). This instrument provides concentrations of select chemicals at sub-parts per billion (ppb) levels and as quickly as one measurement per second. The mobile monitoring van is outfitted with an external sampling system, which transports ambient air from outside of the van into the PTR-TOF-MS sample inlet for immediate real-time analysis. The entire sampling system is comprised of Teflon or Teflon-coated materials, which ensures the lowest amount of sample loss due to surface absorption of chemical molecules. The mobile monitoring van incorporates a high-precision global positioning system (GPS), a sonic anemometer to measure wind direction and wind velocity and other incorporated meteorological (MET) sensors.

During the mobile monitoring program, the list of 65 chemicals in Table 2-1 were measured to determine the instantaneous ambient concentrations. This list of chemicals was compiled based on the typical chemicals that are monitored in urban and industrial areas and the mobile monitoring van analysis capabilities.

The mobile monitoring van followed a driving route through each of the six CCND residential neighborhoods that fall within a three-mile radius around the refinery operations. Accessible streets in the neighborhoods were traversed at approximately 10 MPH while collecting a data point every 1 second. The details of the monitored neighborhoods are listed in Table 2-2 and are shown in Figure 2-1.

**TABLE 2-1
MOBILE MONITORING VAN PROGRAM CHEMICALS²**

o-Diethylbenzene	2-Methylhexane	Neopentane	Methyl-cyclopentane	o-Ethyltoluene (2-ethyltoluene)
1,3-Butadiene	2-Methylpentane	Ethylbenzene	m-Ethyltoluene	p-Diethylbenzene (1,4-diethylbenzene)
1-Butene	3-Methylheptane	Ethylcyclohexane	m/o/p-Xylenes	p-Ethyltoluene (4-ethyltoluene)
1-Hexene	3-Methylhexane	Ethylene	n-Butane	1,2,4-trimethylbenzene
1-Pentene	3-Methylpentane	Hydrogen Cyanide	n-Decane	Propylene (Propene)
Styrene	Acetylene	Hydrogen Sulfide	n-Dodecane	2,2,4-Trimethylpentane
2,2-Dimethylbutane	Benzene	i-Butane	n-Heptane	Tetrachloroethylene
Toluene	Carbon disulfide	i-Pentane	n-Hexane	2,3,4-Trimethylpentane
2,3-Dimethylbutane	trans-2-Butene	Isopentane	n-Nonane	trans-1,2-Dimethylcyclohexane
2,3-Dimethylpentane	cis-2-Butene	Isoprene	n-Octane	trans-1,3-Dimethylcyclohexane
2,4-Dimethylpentane	cis-2-Pentene	m-Diethylbenzene	n-Pentane	cis-1,3-dimethylcyclohexane
2-Methyl-2-butene	Cumene	Methanol	n-Propylbenzene	trans-2-Pentene
2-Methylheptane	Cyclohexane	Methyl-cyclohexane	n-Undecane	Cyclopentane

² See Appendix A for isomer analysis details

**TABLE 2-2
NEIGHBORHOOD MONITORING PROGRAM DETAILS**

Neighborhood	Area (square miles)	Sampling Date	Start Time	End Time	Total Data Points Collected	Total Hourly Rolling Averages Calculated
Adams City	0.41	11/18/22	10:23	13:33	11,433	7,906
Dupont	1.4	11/15/22	12:26	16:29	14,527	11,000
Elyria-Swansea	1.2	11/17/22	13:58	16:30	9,105	5,578
Globeville	0.44	11/17/22	10:48	13:39	10,274	6,747
Pioneer Park	1.7	11/16/22	10:31	14:36	14,654	11,127
Western Hills	1.6	11/14/22	10:16	14:25	14,874	11,347


2.2 Mobile Monitoring Van Air Sampling Methods

The PTR-TOF-MS calibration was checked, and the instrument was zeroed each day prior to collection of any ambient air data. The instrument was calibrated using United States Environmental Protection Agency (USEPA) protocol certified calibration gases. The multi-chemical cylinder standards were used to generate multiple point calibration curves for each commercially available chemical present in the standard. Note: Not all chemicals listed in Table 2-1 are available as certified calibration gases. The chemical dilutions were made using an Environics Model 4040 gas dilution system. The gas dilution system was validated using the appropriate USEPA methodology (40 Code of Federal Regulation Part 51 Appendix M, Method 205). Zero-count measurements were obtained to ensure proper baseline measurements were incorporated into the calculation of each chemical's concentration. Zero-count measurements were performed through the entire sampling system using ultra-high purity air. Post-testing calibration checks were performed on the instrument to ensure there was no significant drift during the course of the sampling event. Drift can cause an increase or decrease in the measured chemical concentrations, which can lead to both positive and negative biasing of the obtained results.

The mobile monitoring van collected continuous measurements throughout each neighborhood following the routes shown in Figure 2-1. Measurements that were collected from transition periods or from moving between neighborhoods were excluded in this assessment.

The measurements were collected from the ambient environment at a height of 15 feet above grade at approximately 8 liters per minute using a Teflon-coated sampling boom and pump. The PTR-TOF-MS sampled a slip stream of this flow at approximately 100 ml/min. The sample was introduced into the reaction tube of the PTR-TOF-MS and results were collected in 1-second intervals. See the attached Appendix D for specific PTR-TOF-MS instrument operation conditions.

FIGURE 2-1
MOBILE MONITORING VAN PROGRAM ROUTE THROUGH SIX NEIGHBORHOOD AREAS



2.3 Screening Health Risk Assessment Methods

CTEH[®] conducted a screening-level public health risk assessment, consistent with federal risk assessment guidelines, to determine whether exposure to the detected concentrations of individual or cumulative (combined) chemicals in the air could potentially pose acute (short-term) health impacts. A tiered approach to the risk assessment was used. This approach involves one or more iterative steps (or tiers) being performed in which health risks are calculated and evaluated multiple times. In most cases, risk assessors cannot know exactly the level of chemical exposure experienced by individuals or communities. Therefore, the first tier involves use of exposure assumptions that are health-conservative. This means that data reflecting maximum exposure potential are plugged into the risk calculations. These are worst-case scenarios that typically represent exposure conditions higher than would be reasonably expected. Such calculations are very simple and assume a person is constantly exposed to the highest one hour rolling average concentration for each detected chemical. If the resulting risk values indicate the lack of likely acute adverse health effects under these worst-case conditions, then the risk assessment is complete. However, if the risk values suggest a potential for acute adverse health effects, then a second tier of risk calculations are performed, but this time using more detailed

assumptions about exposure that are still simple representations of the real world but are more realistic than the first-tier worst-case assumptions. Each successive tier represents a more complete characterization of exposure variability and/or uncertainty that requires a corresponding increase in calculation complexity and scientific level of effort.

The first tier of this risk assessment process is called a screening-level risk assessment. The conservative assumptions used for this level of risk calculation typically represent exposure conditions higher than would be reasonably expected. As such, an exceedance of an acceptable risk level (defined below) does not necessarily indicate that adverse health effects are likely. The Agency for Toxic Substances and Disease Registry (ATSDR) states, “*when health assessors find exposures higher than the MRLs (ATSDR’s specific health-based reference levels), it means that they may want to look more closely at a site*”³. In other words, screening-level findings of an estimated exposure to a specific or cumulative set of chemical(s) being higher than its reference level (RL) does NOT indicate an actual likelihood of adverse effects but does indicate a need to move to a second tier of analysis and refine the risk assessment process with more realistic detail to determine if an actual risk exists that needs to be mitigated.

The screening-level risk assessment reported here includes calculated acute risks from exposure to individually measured chemicals as well as exposure to all measured chemicals at once (cumulative). For individual chemicals, an acute health risk value was calculated as the exposure concentration (EC) divided by the chemical-specific federal or state established acute RL (Equation 1). The result is referred to as the hazard quotient (HQ). Estimates of EC were derived from 1-hour rolling average concentrations of each chemical for the entire measurement time in an individual CCND neighborhood. The RLs used to calculate the HQs are previously established exposure levels below which no adverse effect in humans is expected. If available, RLs adopted by the Colorado Department of Public Health and Environment (CDPHE) were selected for use within this assessment and include ATSDR acute minimum risk levels (MRL), California EPA Office of Environmental Health Hazard Assessment (OEHHA) acute risk levels and Texas Commission on Environmental Quality (TCEQ) acute exposure guideline levels. If the chemical was not listed by CDPHE, a federal and state recommended hierarchy for selection of RLs was used⁴. For chemical isomer groups which were unable to be differentiated the lowest, most health-protective RL of the isomer group was selected for use in this assessment.

Acute HQs were calculated as follows:

Eq. 1 – Hazard Quotient (HQ) Equation

$$HQ = EC/RL$$

Where:

HQ= Hazard Quotient

EC= Maximum 1-hour rolling average air concentration

RL= Acute Health-based Reference Level (ATSDR, Cal EPA OEHHA and TCEQ)

³[https://www.atsdr.cdc.gov/minimalrisklevels/#:~:text=The%20ATSDR%2C%20in%20response%20to,minimal%20risk%20levels%20\(MRLs\)](https://www.atsdr.cdc.gov/minimalrisklevels/#:~:text=The%20ATSDR%2C%20in%20response%20to,minimal%20risk%20levels%20(MRLs))

⁴ <https://drive.google.com/file/d/1P2KEvu0MFiyzQAOQtiQUclqR-WGh1bEX/view>

Health risks from potential cumulative exposures to all detected chemicals were calculated by adding together each individual chemical's HQ calculated for a given neighborhood. The sum of all the individual HQs is called a Hazard Index (HI). Adding together all the HQs is also a very health-conservative approach because it assumes that all the measured chemicals exert an adverse effect on the body in a similar manner, which is rarely the case.

An HQ or HI of less than or equal to one is an indication that the estimated exposure is likely to be without an appreciable risk of adverse acute health effects, even for sensitive sub-populations. The potential for adverse health effects increases as HQ or HI increase above one, but it is not known by how much. HQ or HI values of greater than one would prompt a second-tier risk assessment beyond the screening-level assessment.

According to the USEPA and ATSDR, the federal agencies that establish these RLs, these values *"are set below levels that, based on current information, might cause adverse health effects in the people most sensitive."*⁵ This is because RLs are based on observed toxicity in human or animal studies with an added safety factor to account for uncertainties and variabilities in the toxicity data. For example, ATSDR identified the lowest observed adverse effect level (LOAEL) for acute exposure to benzene as 10,200 parts per billion (ppb), based on a study of mice exposed six hours per day for six days. ATSDR then applied a combined safety factor of 300 to derive the final RL to account for several uncertainties, including differences between mice and humans and for sensitive individuals. Therefore, it is scientifically incorrect to assume that all real-world exposures to a chemical at levels higher than a RL will likely result in an adverse effect.

Using the maximum 1-hour rolling average for the EC conservatively assumes that a hypothetical maximally exposed individual occupies the monitored neighborhood and breathes the maximum 1-hour detected concentration continuously for an hour up to multiple days (an acute exposure). A 1-hour average concentration is more appropriate than a 1-second or 1-minute concentration for use in an acute health risk assessment. This is because 1-second exposures to the chemicals measured in this study do not cause adverse effects unless the levels are extremely high (i.e., tens of thousands to millions of ppb). Guidance values for use in emergency situations with extremely elevated levels of these chemicals are available and are discussed below. Across all neighborhoods, 39,7831-hour rolling averages of chemical concentrations were calculated to derive the estimated ECs (Table 2-2). The range between the average and maximum rolling 1-hour average values provides a robust estimate of plausible outdoor exposures of persons occupying the monitored neighborhood while the mobile monitoring van was present (Figures 3-1 to 3-8).

The USEPA also has established values for use in emergency situations, termed Acute Exposure Guideline Levels (AEGs). Unlike RLs that can be thousands of times below exposure levels where adverse effects are observed, AEGs values are levels at which different acute adverse health effects may be anticipated to occur. According to USEPA, *"AEG-1 represent exposure levels that could produce mild and progressively increasing but transient and non-disabling odor, taste and sensory irritation or certain asymptomatic, non-sensory effects. With increasing airborne concentration above each AEG, there is a progressive increase in the likelihood of occurrence and the severity of effects described for each corresponding AEG [i.e., AEG-2 or AEG-3]."*⁶ The AEG-1 60-minute value, if available for the applicable chemical, was also used for

5

<https://www.atsdr.cdc.gov/mrls/index.html#:~:text=ATSDR%20uses%20the%20no%20observed,to%20such%20substance%2Dinduced%20effects.>

⁶ <https://www.epa.gov/aegl/about-acute-exposure-guideline-levels-aegls>

comparison purposes because it is more precautionary (than AEGL-2 or AEGL-3) as the AEGL-1 level reflects protecting against acute health effects that are reversible upon cessation of exposure.

3.0 SUMMARY AND DISCUSSION OF RESULTS

3.1 Summary of Mobile Monitoring Van Results

A summary of mobile monitoring van results by neighborhood can be found in Table 2-2. Over five days, six neighborhoods were monitored for 65 chemicals, collecting more than 74,800 total data points. Individual neighborhood results are detailed in Figures 3-1 through 3-6. Each figure shows a map of the monitoring locations within each neighborhood, the chemicals that resulted in the top five calculated acute HQs and time profiles of the measured levels of these chemicals. The time profiles show all the 1-second data (orange) and calculated 1-hour rolling averages (green) of the monitoring data. Each green 1-hour average data point shown in these profiles reflects all the 1-second measurements collected over the previous hour. Thus, 1-hour rolling average values are shown on the time profiles only after one hour of data collection (Figure 3-1 through 3-6).

Wind roses for each sampling day are provided in Appendix B. The data used to derive the wind roses were collected from the CCND community sensor location most local to the neighborhood being monitored on each day because the stationary source of MET data is more reliable than the MET station on the mobile monitoring van when the lab is moving.

3.2 Screening Health Risk Assessment Results

Acute health risks were calculated for each neighborhood. According to USEPA guidelines, an acute HQ or HI less than or equal to one (1) indicates that exposures are likely to be without any acute adverse health effects, even for sensitive sub-populations.

Maximum 1-hour rolling average concentrations for 65 chemicals measured in each neighborhood were compared to acute RLs to derive HQs. Figures 3-1 through 3-6 show concentrations of chemicals over the sampling time and summaries of results for chemicals resulting in the five highest HQs by neighborhood (if available). The estimated HI values (if available) shown in Figures 3-1 through 3-6 were calculated by summing the HQs of all detected chemicals measured in a given neighborhood. If any measured chemical resulted in a HQ greater than 1, then a separate figure would be shown for that chemical alone. Complete results for HQs for all chemicals detected in each neighborhood are available in Appendix C.

In conclusion, the data collected during this study phase did not indicate a potential for acute adverse health effects from exposure to the measured chemicals, both individually and combined.


- All HQs were less than one for all detected chemicals, indicating that the maximum 1-hour rolling average concentration for each chemical was below its respective acute RL in all six neighborhoods (Figure 3-1 through 3-6).
- In this quarter, benzene, tetrachloroethylene, hydrogen sulfide, hexene group, hydrogen cyanide and trimethylbenzene group were the chemicals or isomer groupings resulting in the highest HQ in each neighborhood, accounting for over

70% of the total calculated HI values. However, all HI values calculated in all six neighborhoods were below one (Figures 3-1 through 3-6).

- These results indicate that the measured concentrations of chemicals, both individually and cumulative (combined), are likely to be without an appreciable risk of acute adverse health effects, even for sensitive sub-populations.

FIGURE 3-1
ADAMS CITY NEIGHBORHOOD: NOVEMBER 18, 2022


Analyte	Maximum 1-second Concentration (ppbv)	Count of 1-hr Rolling Averages Derived (#)	Average 1-hr Rolling Average (ppbv)	Maximum 1-hr Rolling Average (ppbv)	AEGL 1 60-min Value (ppbv)	Health Reference Level (ppbv)	Hazard Quotient
BENZENE	9.00	7,906	0.29	0.33	52,000	9	0.03613
HYDROGEN SULFIDE	1.13	7,906	0.15	0.22	510	70	0.00315
TETRACHLOROETHYLENE	0.15	7,906	0.01	0.01	35,000	6	0.00228
HEXENES*	10.91	7,906	0.76	0.83	NR	500	0.00165
TRIMETHYLBENZENES*	2.65	7,906	0.21	0.26	NR	250	0.00102



The top 5 hazard quotients are reported in this dashboard. The hazard index represents cumulative risks including all unlisted analytes. The hazard quotient was calculated by comparing the acute health reference level to the maximum 1-hour rolling average. The comparative AEGL value is shown for comparison purposes. NR = According to EPA, the AEGL value is "not recommended due to insufficient data". *For analyte isomer groups which were unable to be differentiated, the lowest health reference value of the group was selected for use in this assessment (Appendix A).

**FIGURE 3-2
DUPONT NEIGHBORHOOD: NOVEMBER 15, 2022**


Analyte	Maximum 1-second Concentration (ppbv)	Count of 1-hr Rolling Averages Derived (#)	Average 1-hr Rolling Average (ppbv)	Maximum 1-hr Rolling Average (ppbv)	AEGL 160-min Value (ppbv)	Health Reference Level (ppbv)	Hazard Quotient
BENZENE	6.42	11,000	0.24	0.26	52,000	9	0.02924
HYDROGEN SULFIDE	1.07	11,000	0.18	0.24	510	70	0.00343
HEXENES*	7.45	11,000	0.93	1.01	NR	500	0.00202
TETRACHLOROETHYLENE	0.09	11,000	0.01	0.01	35,000	6	0.00108
TRIMETHYLBENZENES*	3.28	11,000	0.19	0.23	NR	250	0.00092



The top 5 hazard quotients are reported in this dashboard. The hazard index represents cumulative risks including all unlisted analytes. The hazard quotient was calculated by comparing the acute health reference level to the maximum 1-hour rolling average. The comparative AEGL value is shown for comparison purposes. NR = According to EPA, the AEGL value is "not recommended due to insufficient data". *For analyte isomer groups which were unable to be differentiated, the lowest health reference value of the group was selected for use in this assessment (Appendix A).

**FIGURE 3-3
ELYRA-SWANSEA NEIGHBORHOOD: NOVEMBER 17, 2022**


Analyte	Maximum 1-second Concentration (ppbv)	Count of 1-hr Rolling Averages Derived (#)	Average 1-hr Rolling Average (ppbv)	Maximum 1-hr Rolling Average (ppbv)	AEGL 160-min Value (ppbv)	Health Reference Level (ppbv)	Hazard Quotient
BENZENE	17.92	5,578	0.29	0.35	52,000	9	0.03933
HYDROGEN SULFIDE	4.92	5,578	0.18	0.24	510	70	0.00346
HEXENES*	57.70	5,578	1.28	1.43	NR	500	0.00285
TRIMETHYLBENZENES*	19.66	5,578	0.35	0.45	NR	250	0.00179
TETRACHLOROETHYLENE	0.05	5,578	0.01	0.01	35,000	6	0.00128



The top 5 hazard quotients are reported in this dashboard. The hazard index represents cumulative risks including all unlisted analytes. The hazard quotient was calculated by comparing the acute health reference level to the maximum 1-hour rolling average. The comparative AEGL value is shown for comparison purposes. NR = According to EPA, the AEGL value is "not recommended due to insufficient data". *For analyte isomer groups which were unable to be differentiated, the lowest health reference value of the group was selected for use in this assessment (Appendix A).

FIGURE 3-4
GLOBEVILLE NEIGHBORHOOD: NOVEMBER 17, 2022



Analyte	Maximum 1-second Concentration (ppbv)	Count of 1-hr Rolling Averages Derived (#)	Average 1-hr Rolling Average (ppbv)	Maximum 1-hr Rolling Average (ppbv)	AEGL 160-min Value (ppbv)	Health Reference Level (ppbv)	Hazard Quotient
BENZENE	2.72	6,747	0.24	0.29	52,000	9	0.03199
HYDROGEN SULFIDE	0.70	6,747	0.17	0.26	510	70	0.00369
HEXENES*	4.59	6,747	0.51	0.73	NR	500	0.00146
HYDROGEN CYANIDE	0.82	6,747	0.12	0.25	2,000	308	0.00081
TETRACHLOROETHYLENE	0.15	6,747	0.00	0.00	35,000	6	0.00076



The top 5 hazard quotients are reported in this dashboard. The hazard index represents cumulative risks including all unlisted analytes. The hazard quotient was calculated by comparing the acute health reference level to the maximum 1-hour rolling average. The comparative AEGL value is shown for comparison purposes. NR = According to EPA, the AEGL value is "not recommended due to insufficient data". *For analyte isomer groups which were unable to be differentiated, the lowest health reference value of the group was selected for use in this assessment (Appendix A).

**FIGURE 3-5
PIONEER PARK NEIGHBORHOOD: NOVEMBER 16, 2022**


Analyte	Maximum 1-second Concentration (ppbv)	Count of 1-hr Rolling Averages Derived (#)	Average 1-hr Rolling Average (ppbv)	Maximum 1-hr Rolling Average (ppbv)	AEGL 1 60-min Value (ppbv)	Health Reference Level (ppbv)	Hazard Quotient
BENZENE	6.57	11,127	0.24	0.27	52,000	9	0.02954
HYDROGEN SULFIDE	0.65	11,127	0.24	0.29	510	70	0.00410
HEXENES*	9.48	11,127	0.69	0.84	NR	500	0.00168
TETRACHLOROETHYLENE	0.10	11,127	0.01	0.01	35,000	6	0.00131
TRIMETHYLBENZENES*	4.06	11,127	0.19	0.23	NR	250	0.00093



The top 5 hazard quotients are reported in this dashboard. The hazard index represents cumulative risks including all unlisted analytes. The hazard quotient was calculated by comparing the acute health reference level to the maximum 1-hour rolling average. The comparative AEGL value is shown for comparison purposes. NR = According to EPA, the AEGL value is "not recommended due to insufficient data". *For analyte isomer groups which were unable to be differentiated, the lowest health reference value of the group was selected for use in this assessment (Appendix A).

FIGURE 3-6
WESTERN HILLS NEIGHBORHOOD: NOVEMBER 14, 2022

Analyte	Maximum 1-second Concentration (ppbv)	Count of 1-hr Rolling Averages Derived (#)	Average 1-hr Rolling Average (ppbv)	Maximum 1-hr Rolling Average (ppbv)	AEGL 1 60-min Value (ppbv)	Health Reference Level (ppbv)	Hazard Quotient
BENZENE	6.47	11,347	0.14	0.20	52,000	9	0.02214
HYDROGEN SULFIDE	0.64	11,347	0.21	0.26	510	70	0.00369
HEXENES*	12.73	11,347	0.56	0.69	NR	500	0.00138
TRIMETHYLBENZENES*	4.30	11,347	0.21	0.28	NR	250	0.00114
TETRACHLOROETHYLENE	0.08	11,347	0.00	0.01	35,000	6	0.00101



The top 5 hazard quotients are reported in this dashboard. The hazard index represents cumulative risks including all unlisted analytes. The hazard quotient was calculated by comparing the acute health reference level to the maximum 1-hour rolling average. The comparative AEGL value is shown for comparison purposes. NR = According to EPA, the AEGL value is "not recommended due to insufficient data". *For analyte isomer groups which were unable to be differentiated, the lowest health reference value of the group was selected for use in this assessment (Appendix A).

3.3 Uncertainty Evaluation

Scientific uncertainty is inherent in each step of the risk assessment process because all risk assessments incorporate a variety of assumptions and professional judgments. Therefore, the acute hazard estimates presented in this assessment are estimates of risk due to a number of assumptions about exposure and toxicity. This screening-level risk assessment relied on a combination of health-protective exposure scenarios and input values (i.e., high-end exposures and conservative selection of lowest reference value per isomer). Because of these assumptions, the estimates of acute hazards are themselves uncertain but likely to be over-estimates of actual risk.

This risk assessment did not address past or present health outcomes associated with current or past exposures. As such, this risk assessment cannot be used to make realistic predictions of biological effects and/or used to determine whether someone is ill (cancer or other adverse health effects) due to past or current exposures. This risk assessment was limited to inhalation exposures from outdoor exposures to all potential sources.

3.4 Program Changes

No program changes occurred during this reporting period.

Respectfully Submitted:



Steven Yuchs, PhD.
Vice President, Technical
Ambient & Emerging Technology
Montrose Air Quality Services



Michael Lumpkin, PhD, DABT
Senior Toxicologist
CTEH®, LLC

APPENDIX A ISOMER CHEMICAL SAMPLING DETAILS


In a real-time PTR-TOF analysis, it is not possible to speciate isomers, or chemical compounds that have the same molecular weight. For example, n-hexane, 2-methyl pentane and 2,2-dimethyl butane all have a molecular mass of 86.178 g/mol. In order to provide the most conservative determination of concentration during this mapping program, each isomer's concentration is reported as the sum of all isomers with the same molecular weight. For the sake of simplicity, the calculations in the report refer to generic names for a group of specific isomers. The following table defines a simplified list of the many isomers that may comprise the generic groups reported.

Group Name	Specific Isomers	Group Name	Specific Isomers
<i>Butenes</i>	1-Butene cis-2-Butene trans-2-Butene	<i>Xylenes</i>	Ethyl Benzene o-Xylene m-Xylene p-Xylene
<i>Butanes</i>	iso-Butane n-Butane	<i>Dimethylcyclohexanes</i>	Ethylcyclohexane cis-1,3-Dimethylcyclohexane trans-1,2-Dimethylcyclohexane trans-1,3-Dimethylcyclohexane
<i>Cyclopentanes</i>	Cyclopentane 1-Pentene 2-Methyl-2-butene cis-2-Pentene trans-2-Pentene	<i>Octanes</i>	n-Octane 2-Methylheptane 3-Methylheptane 2,2,4-Trimethylpentane 2,3,4-Trimethylpentane
<i>Pentanes</i>	iso-Pentane n-Pentane neo-Pentane	<i>Trimethylbenzenes</i>	Cumene 1,2,4-Trimethylbenzene o-Ethyltoluene m-Ethyltoluene p-Ethyltoluene n-Propylbenzene 1,3,5-Trimethylbenzene
<i>Hexenes</i>	1-Hexene Cyclohexane Methylcyclopentane	<i>Diethylbenzenes</i>	o-Diethylbenzene m-Diethylbenzene p-Diethylbenzene All other C ₁₀ H ₁₄ Isomers
<i>Hexanes</i>	n-Hexane 2-Methylpentane 3-Methylpentane 2,2-Dimethylbutane 2,3-Dimethylbutane		
<i>Heptanes</i>	n-Heptane 2-Methylhexane 3-Methylhexane 2,3-Dimethylpentane 2,4-Dimethylpentane		


APPENDIX B DAILY WIND ROSES

CCND Mobile Monitoring Van
2022 Q4


Wind Rose | CM4 (Adams Middle School) 10:00am – 2:00pm, November 14, 2022



Wind Rose | CM3 (Adams City High School) 12:00pm – 4:30pm, November 15, 2022




Wind Rose | CM7 (Kearney Middle School) 10:30am – 5:00pm, November 16, 2022




CCND Mobile Monitoring Van
2022 Q4

Wind Rose | CM6 (Focus Points Family Resource Center) 10:30am – 5:00pm, November 17, 2022



Wind Rose | CM4 (Adams City Middle School) 10:00am – 2:00pm, November 18, 2022



APPENDIX C
SCREENING RISK ASSESSMENT DETAILS
(ALPHABETICAL ORDER BY NEIGHBORHOOD NAME)

CCND Mobile Monitoring Van 2022 Q4

Mobile Laboratory Sampling Data Summary and Risk Assessment
Adams City Neighborhood | November 18, 2022

Analyte	Cas No	Count of 1-second Concentrations (#)	Maximum 1-second Concentration (ppbv)	Count of 1-hr Rolling Averages Derived (#)	Average 1-hr Rolling Average (ppbv)	Maximum 1-hr Rolling Average (ppbv)	AEGL 1 60-min Value	Health Reference Level (ppbv)	Screening Value Source	Hazard Quotient
1,3 BUTADIENE	106-99-0	11,433	0.15	7,906	0.02	0.02	670,000	298	OEHHA Acute REL	0.00008
ACETYLENE	74-86-2	11,433	0.71	7,906	0.15	0.19	NR	25,000	TCEQ Short-Term AMCV Health	0.00001
BENZENE	71-43-2	11,433	9.00	7,906	0.29	0.33	52,000	9	ATSDR Acute MRL	0.03613
BUTANES*	75-28-5	11,433	10.09	7,906	2.61	2.71	NR	33000	TCEQ Short-Term AMCV Health	0.00008
BUTENES*	590-18-1	11,433	33.92	7,906	1.61	1.76	NR	15000	TCEQ Short-Term AMCV Health	0.00012
CARBON DISULFIDE	75-15-0	11,433	0.03	7,906	0.00	0.00	13,000	1,991	OEHHA Acute REL	0.00000
CYCLOPENTANES*	287-92-3	11,433	23.65	7,906	2.62	2.74	NR	5,900	TCEQ Short-Term AMCV Health	0.00047
DECANES	124-18-5	11,433	0.07	7,906	0.03	0.03	NR	1,000	TCEQ Short-Term AMCV Health	0.00003
DIETHYLBENZENES*	141-93-5	11,433	0.28	7,906	0.12	0.13	NR	450	TCEQ Short-Term AMCV Health	0.00030
DIMETHYLCYCLOHEXANES*	638-04-0	11,433	0.17	7,906	0.11	0.11	NR	4,000	CDPHE	0.00003
DODECANES	112-40-3	11,433	0.02	7,906	0.00	0.00	NR	1720	CDPHE	0.00000
ETHYLENE	74-85-1	11,433	22.44	7,906	5.93	6.01	NR	500,000	TCEQ Short-Term AMCV Health	0.00001
HEPTANES*	142-82-5	11,433	0.15	7,906	0.08	0.08	NR	8,300	TCEQ Short-Term AMCV Health	0.00001
HEXANES*	110-54-3	11,433	0.23	7,906	0.12	0.12	NR	5,400	TCEQ Short-Term AMCV Health	0.00002
HEXENES*	592-41-6	11,433	10.91	7,906	0.76	0.83	NR	500	TCEQ Short-Term AMCV Health	0.00165
HYDROGEN CYANIDE	74-90-8	11,433	1.48	7,906	0.14	0.24	2,000	308	OEHHA Acute REL	0.00078
HYDROGEN SULFIDE	7783-06-4	11,433	1.13	7,906	0.15	0.22	510	70	ATSDR Acute MRL	0.00315
ISOPRENE	78-79-5	11,433	1.69	7,906	0.17	0.19	NR	1,400	TCEQ Short-Term AMCV Health	0.00014
METHANOL	67-56-1	11,433	34.79	7,906	5.06	5.36	530,000	21,366	OEHHA Acute REL	0.00025
METHYLCYCLOHEXANE	108-87-2	11,433	0.30	7,906	0.05	0.05	NR	4,000	TCEQ Short-Term AMCV Health	0.00001
NONANES	111-84-2	11,433	0.12	7,906	0.07	0.07	NR	3,000	TCEQ Short-Term AMCV Health	0.00002
OCTANES*	111-65-9	11,433	0.13	7,906	0.07	0.08	NR	4,100	TCEQ Short-Term AMCV Health	0.00002
PENTANES*	109-66-0	11,433	0.47	7,906	0.20	0.20	NR	68,000	TCEQ Short-Term AMCV Health	0.00000
PROPYLENE	115-07-1	11,433	11.83	7,906	0.32	0.38	NR	NA	NE	
STYRENE	100-42-5	11,433	0.39	7,906	0.06	0.07	20,000	5,000	ATSDR Acute MRL	0.00001
TETRACHLOROETHYLENE	127-18-4	11,433	0.15	7,906	0.01	0.01	35,000	6	ATSDR Acute MRL	0.00228
TOLUENE	108-88-3	11,433	17.98	7,906	0.61	0.71	67,000	2,000	ATSDR Acute MRL	0.00035
TRIMETHYLBENZENES*	622-96-8	11,433	2.65	7,906	0.21	0.26	50,000	250	TCEQ Short-Term AMCV Health	0.00102
UNDECANES	1120-21-4	11,433	0.05	7,906	0.02	0.02	NR	550	TCEQ Short-Term AMCV Health	0.00004
XYLENES*	1330-20-7	11,433	17.35	7,906	1.26	1.40	130,000	2,000	ATSDR Acute MRL	0.00070
Hazard Index										0.04772

NR= According to EPA, AEGL is "not recommended due to insufficient data"
NA= Not Available
NC= Not Calculated

For analyte isomer groups which were unable to be differentiated, the lowest health reference value of the isomer group was selected for use in this assessment (See Appendix A)

CCND Mobile Monitoring Van 2022 Q4

Mobile Laboratory Sampling Data Summary and Risk Assessment
Dupont Neighborhood | November 15, 2022

Analyte	Cas No	Count of 1-second Concentrations (#)	Maximum 1-second Concentration (ppbv)	Count of 1-hr Rolling Averages Derived (#)	Average 1-hr Rolling Average (ppbv)	Maximum 1-hr Rolling Average (ppbv)	AEGL 1 60-min Value	Health Reference Level (ppbv)	Screening Value Source	Hazard Quotient
1,3 BUTADIENE	106-99-0	14,527	0.15	11,000	0.01	0.01	670,000	298	OEHHA Acute REL	0.00005
ACETYLENE	74-86-2	14,527	0.70	11,000	0.10	0.14	NR	25,000	TCEQ Short-Term AMCV Health	0.00001
BENZENE	71-43-2	14,527	6.42	11,000	0.24	0.26	52,000	9	ATSDR Acute MRL	0.02924
BUTANES*	75-28-5	14,527	26.78	11,000	3.69	3.87	NR	33000	TCEQ Short-Term AMCV Health	0.00012
BUTENES*	590-18-1	14,527	18.22	11,000	3.08	3.25	NR	15000	TCEQ Short-Term AMCV Health	0.00022
CARBON DISULFIDE	75-15-0	14,527	0.04	11,000	0.00	0.00	13,000	1,991	OEHHA Acute REL	0.00000
CYCLOPENTANES*	287-92-3	14,527	11.33	11,000	1.49	1.65	NR	5,900	TCEQ Short-Term AMCV Health	0.00028
DECANES	124-18-5	14,527	0.11	11,000	0.05	0.06	NR	1,000	TCEQ Short-Term AMCV Health	0.00006
DIETHYLBENZENES*	141-93-5	14,527	0.16	11,000	0.07	0.08	NR	450	TCEQ Short-Term AMCV Health	0.00017
DIMETHYLCYCLOHEXANES*	638-04-0	14,527	0.08	11,000	0.03	0.03	NR	4,000	CDPHE	0.00001
DODECANES	112-40-3	14,527	0.01	11,000	0.00	0.00	NR	1720	CDPHE	0.00000
ETHYLENE	74-85-1	14,527	33.55	11,000	5.30	5.41	NR	500,000	TCEQ Short-Term AMCV Health	0.00001
HEPTANES*	142-82-5	14,527	0.16	11,000	0.06	0.06	NR	8,300	TCEQ Short-Term AMCV Health	0.00001
HEXANES*	110-54-3	14,527	0.22	11,000	0.05	0.06	NR	5,400	TCEQ Short-Term AMCV Health	0.00001
HEXENES*	592-41-6	14,527	7.45	11,000	0.93	1.01	NR	500	TCEQ Short-Term AMCV Health	0.00202
HYDROGEN CYANIDE	74-90-8	14,527	0.80	11,000	0.17	0.24	2,000	308	OEHHA Acute REL	0.00077
HYDROGEN SULFIDE	7783-06-4	14,527	1.07	11,000	0.18	0.24	510	70	ATSDR Acute MRL	0.00343
ISOPRENE	78-79-5	14,527	0.90	11,000	0.08	0.10	NR	1,400	TCEQ Short-Term AMCV Health	0.00007
METHANOL	67-56-1	14,527	23.54	11,000	2.67	2.86	530,000	21,366	OEHHA Acute REL	0.00013
METHYLCYCLOHEXANE	108-87-2	14,527	0.13	11,000	0.06	0.06	NR	4,000	TCEQ Short-Term AMCV Health	0.00002
NONANES	111-84-2	14,527	0.07	11,000	0.02	0.02	NR	3,000	TCEQ Short-Term AMCV Health	0.00001
OCTANES*	111-65-9	14,527	0.41	11,000	0.03	0.04	NR	4,100	TCEQ Short-Term AMCV Health	0.00001
PENTANES*	109-66-0	14,527	1.43	11,000	1.13	1.13	NR	68,000	TCEQ Short-Term AMCV Health	0.00002
PROPYLENE	115-07-1	14,527	3.44	11,000	0.13	0.20	NR	NA	NE	
STYRENE	100-42-5	14,527	0.37	11,000	0.09	0.10	20,000	5,000	ATSDR Acute MRL	0.00002
TETRACHLOROETHYLENE	127-18-4	14,527	0.09	11,000	0.01	0.01	35,000	6	ATSDR Acute MRL	0.00108
TOLUENE	108-88-3	14,527	21.12	11,000	0.42	0.51	67,000	2,000	ATSDR Acute MRL	0.00025
TRIMETHYLBENZENES*	622-96-8	14,527	3.28	11,000	0.19	0.23	50,000	250	TCEQ Short-Term AMCV Health	0.00092
UNDECANES	1120-21-4	14,527	0.04	11,000	0.00	0.01	NR	550	TCEQ Short-Term AMCV Health	0.00001
XYLENES*	1330-20-7	14,527	21.73	11,000	0.62	0.75	130,000	2,000	ATSDR Acute MRL	0.00038
Hazard Index										0.03931

NR= According to EPA, AEGL is "not recommended due to insufficient data"
NA= Not Available
NC= Not Calculated

For analyte isomer groups which were unable to be differentiated, the lowest health reference value of the isomer group was selected for use in this assessment (See Appendix A)

CCND Mobile Monitoring Van 2022 Q4

Mobile Laboratory Sampling Data Summary and Risk Assessment
Elyria-Swansea Neighborhood | November 17, 2022

Analyte	Cas No	Count of 1-second Concentrations (#)	Maximum 1-second Concentration (ppbv)	Count of 1-hr Rolling Averages Derived (#)	Average 1-hr Rolling Average (ppbv)	Maximum 1-hr Rolling Average (ppbv)	AEGL 1 60-min Value	Health Reference Level (ppbv)	Screening Value Source	Hazard Quotient
1,3 BUTADIENE	106-99-0	9,105	0.18	5,578	0.04	0.04	670,000	298	OEHHA Acute REL	0.00015
ACETYLENE	74-86-2	9,105	0.68	5,578	0.11	0.14	NR	25,000	TCEQ Short-Term AMCV Health	0.00001
BENZENE	71-43-2	9,105	17.92	5,578	0.29	0.35	52,000	9	ATSDR Acute MRL	0.03933
BUTANES*	75-28-5	9,105	10.18	5,578	3.52	3.63	NR	33000	TCEQ Short-Term AMCV Health	0.00011
BUTENES*	590-18-1	9,105	67.72	5,578	1.49	1.80	NR	15000	TCEQ Short-Term AMCV Health	0.00012
CARBON DISULFIDE	75-15-0	9,105	0.03	5,578	0.00	0.00	13,000	1,991	OEHHA Acute REL	0.00000
CYCLOPENTANES*	287-92-3	9,105	87.88	5,578	2.87	3.19	NR	5,900	TCEQ Short-Term AMCV Health	0.00054
DECANES	124-18-5	9,105	0.07	5,578	0.03	0.03	NR	1,000	TCEQ Short-Term AMCV Health	0.00003
DIETHYLBENZENES*	141-93-5	9,105	0.40	5,578	0.11	0.12	NR	450	TCEQ Short-Term AMCV Health	0.00028
DIMETHYLCYCLOHEXANES*	638-04-0	9,105	0.39	5,578	0.02	0.02	NR	4,000	CDPHE	0.00001
DODECANES	112-40-3	9,105	0.01	5,578	0.00	0.00	NR	1720	CDPHE	0.00000
ETHYLENE	74-85-1	9,105	10.37	5,578	8.84	8.85	NR	500,000	TCEQ Short-Term AMCV Health	0.00002
HEPTANES*	142-82-5	9,105	0.13	5,578	0.04	0.04	NR	8,300	TCEQ Short-Term AMCV Health	0.00000
HEXANES*	110-54-3	9,105	0.49	5,578	0.26	0.26	NR	5,400	TCEQ Short-Term AMCV Health	0.00005
HEXENES*	592-41-6	9,105	57.70	5,578	1.28	1.43	NR	500	TCEQ Short-Term AMCV Health	0.00285
HYDROGEN CYANIDE	74-90-8	9,105	1.43	5,578	0.17	0.21	2,000	308	OEHHA Acute REL	0.00069
HYDROGEN SULFIDE	7783-06-4	9,105	4.92	5,578	0.18	0.24	510	70	ATSDR Acute MRL	0.00346
ISOPRENE	78-79-5	9,105	3.42	5,578	0.22	0.23	NR	1,400	TCEQ Short-Term AMCV Health	0.00017
METHANOL	67-56-1	9,105	44.19	5,578	5.83	6.77	530,000	21,366	OEHHA Acute REL	0.00032
METHYLCYCLOHEXANE	108-87-2	9,105	0.73	5,578	0.15	0.15	NR	4,000	TCEQ Short-Term AMCV Health	0.00004
NONANES	111-84-2	9,105	0.05	5,578	0.01	0.01	NR	3,000	TCEQ Short-Term AMCV Health	0.00000
OCTANES*	111-65-9	9,105	0.13	5,578	0.03	0.03	NR	4,100	TCEQ Short-Term AMCV Health	0.00001
PENTANES*	109-66-0	9,105	0.93	5,578	0.90	0.90	NR	68,000	TCEQ Short-Term AMCV Health	0.00001
PROPYLENE	115-07-1	9,105	11.99	5,578	0.25	0.28	NR	NA	NE	
STYRENE	100-42-5	9,105	0.53	5,578	0.07	0.08	20,000	5,000	ATSDR Acute MRL	0.00002
TETRACHLOROETHYLENE	127-18-4	9,105	0.05	5,578	0.01	0.01	35,000	6	ATSDR Acute MRL	0.00128
TOLUENE	108-88-3	9,105	84.62	5,578	0.86	1.19	67,000	2,000	ATSDR Acute MRL	0.00060
TRIMETHYLBENZENES*	622-96-8	9,105	19.66	5,578	0.35	0.45	50,000	250	TCEQ Short-Term AMCV Health	0.00179
UNDECANES	1120-21-4	9,105	0.05	5,578	0.02	0.02	NR	550	TCEQ Short-Term AMCV Health	0.00004
XYLENES*	1330-20-7	9,105	95.23	5,578	1.58	1.98	130,000	2,000	ATSDR Acute MRL	0.00099
Hazard Index										0.05291

NR= According to EPA, AEGL is "not recommended due to insufficient data"
NA= Not Available
NC= Not Calculated

For analyte isomer groups which were unable to be differentiated, the lowest health reference value of the isomer group was selected for use in this assessment (See Appendix A)

CCND Mobile Monitoring Van 2022 Q4

Mobile Laboratory Sampling Data Summary and Risk Assessment
Globeville Neighborhood | November 17, 2022

Analyte	Cas No	Count of 1-second Concentrations (#)	Maximum 1-second Concentration (ppbv)	Count of 1-hr Rolling Averages Derived (#)	Average 1-hr Rolling Average (ppbv)	Maximum 1-hr Rolling Average (ppbv)	AEGL 1 60-min Value	Health Reference Level (ppbv)	Screening Value Source	Hazard Quotient
1,3 BUTADIENE	106-99-0	10,274	0.16	6,747	0.01	0.02	670,000	298	OEHHA Acute REL	0.00007
ACETYLENE	74-86-2	10,274	0.87	6,747	0.11	0.17	NR	25,000	TCEQ Short-Term AMCV Health	0.00001
BENZENE	71-43-2	10,274	2.72	6,747	0.24	0.29	52,000	9	ATSDR Acute MRL	0.03199
BUTANES*	75-28-5	10,274	28.39	6,747	1.75	1.86	NR	33000	TCEQ Short-Term AMCV Health	0.00006
BUTENES*	590-18-1	10,274	9.10	6,747	0.91	1.16	NR	15000	TCEQ Short-Term AMCV Health	0.00008
CARBON DISULFIDE	75-15-0	10,274	0.03	6,747	0.00	0.00	13,000	1,991	OEHHA Acute REL	0.00000
CYCLOPENTANES*	287-92-3	10,274	39.69	6,747	1.14	1.61	NR	5,900	TCEQ Short-Term AMCV Health	0.00027
DECANES	124-18-5	10,274	0.09	6,747	0.03	0.04	NR	1,000	TCEQ Short-Term AMCV Health	0.00004
DIETHYLBENZENES*	141-93-5	10,274	0.26	6,747	0.13	0.14	NR	450	TCEQ Short-Term AMCV Health	0.00031
DIMETHYLCYCLOHEXANES*	638-04-0	10,274	0.10	6,747	0.02	0.02	NR	4,000	CDPHE	0.00001
DODECANES	112-40-3	10,274	0.02	6,747	0.00	0.00	NR	1720	CDPHE	0.00000
ETHYLENE	74-85-1	10,274	11.92	6,747	6.79	6.84	NR	500,000	TCEQ Short-Term AMCV Health	0.00001
HEPTANES*	142-82-5	10,274	0.14	6,747	0.04	0.05	NR	8,300	TCEQ Short-Term AMCV Health	0.00001
HEXANES*	110-54-3	10,274	0.24	6,747	0.07	0.07	NR	5,400	TCEQ Short-Term AMCV Health	0.00001
HEXENES*	592-41-6	10,274	4.59	6,747	0.51	0.73	NR	500	TCEQ Short-Term AMCV Health	0.00146
HYDROGEN CYANIDE	74-90-8	10,274	0.82	6,747	0.12	0.25	2,000	308	OEHHA Acute REL	0.00081
HYDROGEN SULFIDE	7783-06-4	10,274	0.70	6,747	0.17	0.26	510	70	ATSDR Acute MRL	0.00369
ISOPRENE	78-79-5	10,274	0.95	6,747	0.22	0.24	NR	1,400	TCEQ Short-Term AMCV Health	0.00017
METHANOL	67-56-1	10,274	13.41	6,747	5.16	5.28	530,000	21,366	OEHHA Acute REL	0.00025
METHYLCYCLOHEXANE	108-87-2	10,274	0.18	6,747	0.10	0.11	NR	4,000	TCEQ Short-Term AMCV Health	0.00003
NONANES	111-84-2	10,274	0.06	6,747	0.02	0.02	NR	3,000	TCEQ Short-Term AMCV Health	0.00001
OCTANES*	111-65-9	10,274	2.75	6,747	0.03	0.08	NR	4,100	TCEQ Short-Term AMCV Health	0.00002
PENTANES*	109-66-0	10,274	0.72	6,747	0.26	0.27	NR	68,000	TCEQ Short-Term AMCV Health	0.00000
PROPYLENE	115-07-1	10,274	4.28	6,747	0.35	0.42	NR	NA	NE	
STYRENE	100-42-5	10,274	1.63	6,747	0.09	0.11	20,000	5,000	ATSDR Acute MRL	0.00002
TETRACHLOROETHYLENE	127-18-4	10,274	0.15	6,747	0.00	0.00	35,000	6	ATSDR Acute MRL	0.00076
TOLUENE	108-88-3	10,274	10.01	6,747	0.43	0.47	67,000	2,000	ATSDR Acute MRL	0.00023
TRIMETHYLBENZENES*	622-96-8	10,274	1.57	6,747	0.10	0.12	50,000	250	TCEQ Short-Term AMCV Health	0.00047
UNDECANES	1120-21-4	10,274	0.07	6,747	0.02	0.03	NR	550	TCEQ Short-Term AMCV Health	0.00005
XYLENES*	1330-20-7	10,274	9.91	6,747	0.64	0.70	130,000	2,000	ATSDR Acute MRL	0.00035
									Hazard Index	0.04117

NR= According to EPA, AEGL is "not recommended due to insufficient data"
NA= Not Available
NC= Not Calculated

For analyte isomer groups which were unable to be differentiated, the lowest health reference value of the isomer group was selected for use in this assessment (See Appendix A)

CCND Mobile Monitoring Van 2022 Q4

Mobile Laboratory Sampling Data Summary and Risk Assessment
Pioneer Park Neighborhood | November 16, 2022

Analyte	Cas No	Count of 1-second Concentrations (#)	Maximum 1-second Concentration (ppbv)	Count of 1-hr Rolling Averages Derived (#)	Average 1-hr Rolling Average (ppbv)	Maximum 1-hr Rolling Average (ppbv)	AEGL 1 60-min Value	Health Reference Level (ppbv)	Screening Value Source	Hazard Quotient
1,3 BUTADIENE	106-99-0	14,654	0.18	11,127	0.03	0.04	670,000	298	OEHHA Acute REL	0.00012
ACETYLENE	74-86-2	14,654	0.84	11,127	0.16	0.20	NR	25,000	TCEQ Short-Term AMCV Health	0.00001
BENZENE	71-43-2	14,654	6.57	11,127	0.24	0.27	52,000	9	ATSDR Acute MRL	0.02954
BUTANES*	75-28-5	14,654	16.72	11,127	1.72	1.82	NR	33000	TCEQ Short-Term AMCV Health	0.00006
BUTENES*	590-18-1	14,654	23.56	11,127	1.30	1.58	NR	15000	TCEQ Short-Term AMCV Health	0.00011
CARBON DISULFIDE	75-15-0	14,654	0.03	11,127	0.00	0.00	13,000	1,991	OEHHA Acute REL	0.00000
CYCLOPENTANES*	287-92-3	14,654	18.02	11,127	1.29	1.57	NR	5,900	TCEQ Short-Term AMCV Health	0.00027
DECANES	124-18-5	14,654	0.08	11,127	0.04	0.04	NR	1,000	TCEQ Short-Term AMCV Health	0.00004
DIETHYLBENZENES*	141-93-5	14,654	0.19	11,127	0.09	0.11	NR	450	TCEQ Short-Term AMCV Health	0.00024
DIMETHYLCYCLOHEXANES*	638-04-0	14,654	0.11	11,127	0.02	0.02	NR	4,000	CDPHE	0.00001
DODECANES	112-40-3	14,654	0.03	11,127	0.00	0.00	NR	1720	CDPHE	0.00000
ETHYLENE	74-85-1	14,654	8.27	11,127	4.96	5.02	NR	500,000	TCEQ Short-Term AMCV Health	0.00001
HEPTANES*	142-82-5	14,654	0.24	11,127	0.17	0.17	NR	8,300	TCEQ Short-Term AMCV Health	0.00002
HEXANES*	110-54-3	14,654	0.28	11,127	0.18	0.18	NR	5,400	TCEQ Short-Term AMCV Health	0.00003
HEXENES*	592-41-6	14,654	9.48	11,127	0.69	0.84	NR	500	TCEQ Short-Term AMCV Health	0.00168
HYDROGEN CYANIDE	74-90-8	14,654	1.47	11,127	0.12	0.24	2,000	308	OEHHA Acute REL	0.00079
HYDROGEN SULFIDE	7783-06-4	14,654	0.65	11,127	0.24	0.29	510	70	ATSDR Acute MRL	0.00410
ISOPRENE	78-79-5	14,654	1.06	11,127	0.22	0.24	NR	1,400	TCEQ Short-Term AMCV Health	0.00017
METHANOL	67-56-1	14,654	4.81	11,127	2.71	2.78	530,000	21,366	OEHHA Acute REL	0.00013
METHYLCYCLOHEXANE	108-87-2	14,654	0.17	11,127	0.04	0.05	NR	4,000	TCEQ Short-Term AMCV Health	0.00001
NONANES	111-84-2	14,654	0.06	11,127	0.02	0.02	NR	3,000	TCEQ Short-Term AMCV Health	0.00001
OCTANES*	111-65-9	14,654	0.10	11,127	0.03	0.03	NR	4,100	TCEQ Short-Term AMCV Health	0.00001
PENTANES*	109-66-0	14,654	0.46	11,127	0.22	0.22	NR	68,000	TCEQ Short-Term AMCV Health	0.00000
PROPYLENE	115-07-1	14,654	4.72	11,127	0.28	0.30	NR	NA	NE	
STYRENE	100-42-5	14,654	0.31	11,127	0.08	0.09	20,000	5,000	ATSDR Acute MRL	0.00002
TETRACHLOROETHYLENE	127-18-4	14,654	0.10	11,127	0.01	0.01	35,000	6	ATSDR Acute MRL	0.00131
TOLUENE	108-88-3	14,654	17.67	11,127	0.38	0.49	67,000	2,000	ATSDR Acute MRL	0.00025
TRIMETHYLBENZENES*	622-96-8	14,654	4.06	11,127	0.19	0.23	50,000	250	TCEQ Short-Term AMCV Health	0.00093
UNDECANES	1120-21-4	14,654	0.06	11,127	0.03	0.03	NR	550	TCEQ Short-Term AMCV Health	0.00005
XYLENES*	1330-20-7	14,654	21.97	11,127	0.73	0.88	130,000	2,000	ATSDR Acute MRL	0.00044
Hazard Index										0.04036

NR= According to EPA, AEGL is "not recommended due to insufficient data"
NA= Not Available
NC= Not Calculated

For analyte isomer groups which were unable to be differentiated, the lowest health reference value of the isomer group was selected for use in this assessment (See Appendix A)

CCND Mobile Monitoring Van 2022 Q4

Mobile Laboratory Sampling Data Summary and Risk Assessment
Western Hills Neighborhood | November 14, 2022

Analyte	Cas No	Count of 1-second Concentrations (#)	Maximum 1-second Concentration (ppbv)	Count of 1-hr Rolling Averages Derived (#)	Average 1-hr Rolling Average (ppbv)	Maximum 1-hr Rolling Average (ppbv)	AEGL 1 60-min Value	Health Reference Level (ppbv)	Screening Value Source	Hazard Quotient
1,3 BUTADIENE	106-99-0	14,874	3.04	11,347	0.02	0.03	670,000	298	OEHHA Acute REL	0.00010
ACETYLENE	74-86-2	14,874	0.87	11,347	0.17	0.23	NR	25,000	TCEQ Short-Term AMCV Health	0.00001
BENZENE	71-43-2	14,874	6.47	11,347	0.14	0.20	52,000	9	ATSDR Acute MRL	0.02214
BUTANES*	75-28-5	14,874	34.48	11,347	2.60	2.88	NR	33000	TCEQ Short-Term AMCV Health	0.00009
BUTENES*	590-18-1	14,874	17.85	11,347	1.78	2.04	NR	15000	TCEQ Short-Term AMCV Health	0.00014
CARBON DISULFIDE	75-15-0	14,874	0.25	11,347	0.00	0.00	13,000	1,991	OEHHA Acute REL	0.00000
CYCLOPENTANES*	287-92-3	14,874	22.85	11,347	2.82	3.14	NR	5,900	TCEQ Short-Term AMCV Health	0.00053
DECANES	124-18-5	14,874	0.12	11,347	0.05	0.05	NR	1,000	TCEQ Short-Term AMCV Health	0.00005
DIETHYLBENZENES*	141-93-5	14,874	0.20	11,347	0.09	0.11	NR	450	TCEQ Short-Term AMCV Health	0.00024
DIMETHYLCYCLOHEXANES*	638-04-0	14,874	0.24	11,347	0.15	0.15	NR	4,000	CDPHE	0.00004
DODECANES	112-40-3	14,874	4.44	11,347	0.01	0.02	NR	1720	CDPHE	0.00001
ETHYLENE	74-85-1	14,874	50.42	11,347	5.80	6.03	NR	500,000	TCEQ Short-Term AMCV Health	0.00001
HEPTANES*	142-82-5	14,874	0.13	11,347	0.02	0.02	NR	8,300	TCEQ Short-Term AMCV Health	0.00000
HEXANES*	110-54-3	14,874	0.60	11,347	0.12	0.12	NR	5,400	TCEQ Short-Term AMCV Health	0.00002
HEXENES*	592-41-6	14,874	12.73	11,347	0.56	0.69	NR	500	TCEQ Short-Term AMCV Health	0.00138
HYDROGEN CYANIDE	74-90-8	14,874	0.68	11,347	0.10	0.20	2,000	308	OEHHA Acute REL	0.00065
HYDROGEN SULFIDE	7783-06-4	14,874	0.64	11,347	0.21	0.26	510	70	ATSDR Acute MRL	0.00369
ISOPRENE	78-79-5	14,874	2.88	11,347	0.15	0.18	NR	1,400	TCEQ Short-Term AMCV Health	0.00013
METHANOL	67-56-1	14,874	5.97	11,347	4.28	4.37	530,000	21,366	OEHHA Acute REL	0.00020
METHYLCYCLOHEXANE	108-87-2	14,874	0.31	11,347	0.05	0.05	NR	4,000	TCEQ Short-Term AMCV Health	0.00001
NONANES	111-84-2	14,874	0.19	11,347	0.02	0.02	NR	3,000	TCEQ Short-Term AMCV Health	0.00001
OCTANES*	111-65-9	14,874	0.39	11,347	0.09	0.09	NR	4,100	TCEQ Short-Term AMCV Health	0.00002
PENTANES*	109-66-0	14,874	0.39	11,347	0.11	0.11	NR	68,000	TCEQ Short-Term AMCV Health	0.00000
PROPYLENE	115-07-1	14,874	3.53	11,347	0.25	0.30	NR	NA	NE	
STYRENE	100-42-5	14,874	1.38	11,347	0.08	0.09	20,000	5,000	ATSDR Acute MRL	0.00002
TETRACHLOROETHYLENE	127-18-4	14,874	0.08	11,347	0.00	0.01	35,000	6	ATSDR Acute MRL	0.00101
TOLUENE	108-88-3	14,874	20.91	11,347	0.75	0.94	67,000	2,000	ATSDR Acute MRL	0.00047
TRIMETHYLBENZENES*	622-96-8	14,874	4.30	11,347	0.21	0.28	50,000	250	TCEQ Short-Term AMCV Health	0.00114
UNDECANES	1120-21-4	14,874	0.07	11,347	0.03	0.04	NR	550	TCEQ Short-Term AMCV Health	0.00006
XYLENES*	1330-20-7	14,874	21.48	11,347	0.91	1.14	130,000	2,000	ATSDR Acute MRL	0.00057
Hazard Index										0.03275

NR= According to EPA, AEGL is "not recommended due to insufficient data"
NA= Not Available
NC= Not Calculated

For analyte isomer groups which were unable to be differentiated, the lowest health reference value of the isomer group was selected for use in this assessment (See Appendix A)

APPENDIX D CALIBRATION AND QA/QC DATA

CCND Mobile Monitoring Van
2022 Q4

Initial Instrument Calibration and Verification							
Date	Time	Calibration Gas Component	Calibration Value (ppb v)	Response (ppb v)	Difference (% of value)	Pass/Fail	
11/13/2022	12:53	Benzene	250	225	-10.0	Pass	
		Toluene	250	228	-8.8	Pass	
		Xylenes	500	475	-5.0	Pass	
	12:59	Benzene	50	50.8	1.6	Pass	
		Toluene	50	49.9	-0.2	Pass	
		Xylenes	100	110	10.0	Pass	
	1:04	Benzene	20	18.9	-5.5	Pass	
		Toluene	20	19.8	-1.0	Pass	
		Xylenes	40	39.7	-0.7	Pass	
	13:06	Benzene	5	5.4	8.0	Pass	
		Toluene	5	5.5	10.0	Pass	
		Xylenes	10	10.4	4.0	Pass	
	13:23	13:23	Ethylene	100	98	-2.0	Pass
			Propylene	100	101	1.0	Pass
			1-Butene	100	99	-1.0	Pass
1-Pentene			100	103	3.0	Pass	
1-Hexene			100	98	-2.0	Pass	
1,3-Butadiene			100	98	-2.0	Pass	
13:27		Ethylene	50	54.6	9.2	Pass	
		Propylene	50	51.8	3.6	Pass	
		1-Butene	50	52.3	2.2	Pass	
		1-Pentene	50	51.1	6.8	Pass	
		1-Hexene	50	53.4	3.2	Pass	
13:32		1,3-Butadiene	50	51.6	3.2	Pass	
		Ethylene	10	11.2	12.0	Pass	
		Propylene	10	10.2	2.0	Pass	
		1-Butene	10	10.7	7.0	Pass	
	1-Pentene	10	10.3	3.0	Pass		
13:49	1-Hexene	10	10.4	4.0	Pass		
	1,3-Butadiene	10	10.1	1	Pass		
	HCN	50	49.7	-0.6	Pass		
13:51	HCN	25	26.9	7.6	Pass		
	HCN	10	10.1	1.0	Pass		
	HCN	10	10.1	1.0	Pass		
14:11	14:11	H ₂ S	125	122	-2.4	Pass	
		H ₂ S	25	25.5	2.0	Pass	
		H ₂ S	10	10.1	1.0	Pass	
		H ₂ S	5	5.12	2.4	Pass	
		H ₂ S	5	5.12	2.4	Pass	
14:29	14:29	Propane	500	482	-3.6	Pass	
		Butane	500	465	-7.0	Pass	
		Pentane	500	475	-5.0	Pass	
		Hexane	500	451	-9.8	Pass	
		Heptane	500	459	-8.2	Pass	
	14:31	Propane	250	242	-3.2	Pass	
		Butane	250	248	-0.8	Pass	
		Pentane	250	225	-10.0	Pass	
		Hexane	250	228	-8.8	Pass	
		Heptane	250	242	-3.2	Pass	
	14:33	Propane	100	98	-2.0	Pass	
		Butane	100	90	-10.0	Pass	
		Pentane	100	91	-9.0	Pass	
		Hexane	100	93	-7.0	Pass	
		Heptane	100	91	-9.0	Pass	
14:36	Propane	25	24.3	-2.8	Pass		
	Butane	25	23.7	-5.2	Pass		
	Pentane	25	23.9	-4.4	Pass		
	Hexane	25	24.2	-3.2	Pass		
	Heptane	25	22.1	-11.6	Pass		

CCND Mobile Monitoring Van
2022 Q4

Instrument Calibration Check						
Date	Time	Calibration Gas Component	Calibration Value (ppb v)	Response (ppb v)	Difference (% of value)	Pass/Fail
11/14/2022	8:09	Ethylene	50	50.8	1.6	Pass
		Propylene	50	51.9	3.8	Pass
		1-Butene	50	47.2	-5.6	Pass
		1-Pentene	50	50.4	0.8	Pass
		1-Hexene	50	48.3	-3.4	Pass
		1,3-Butadiene	50	51.7	3.4	Pass
	8:15	Benzene	100	103	3.0	Pass
		Toluene	100	102	2.0	Pass
		Xylenes	200	213	6.5	Pass
		Benzene	10	9.86	-1.4	Pass
		Toluene	10	9.42	-5.8	Pass
		Xylenes	20	19.3	-3.5	Pass
	8:35	HCN	25	26.4	5.6	Pass
	8:44	H ₂ S	100	98.6	-1.4	Pass
	8:48	H ₂ S	20	20.1	0.5	Pass
	8:51	Propane	150	147	-2.0	Pass
		Butane	150	136	-9.3	Pass
		Pentane	150	139	-7.3	Pass
		Hexane	150	141	-6.0	Pass
		Heptane	150	143	-4.7	Pass
	15:12	HCN	25	25.5	2.0	Pass
15:23	H ₂ S	20	20.5	2.5	Pass	
15:25	Propane	150	142	-5.3	Pass	
	Butane	150	143	-4.7	Pass	
	Pentane	150	139	-7.3	Pass	
	Hexane	150	139	-7.3	Pass	
	Heptane	150	137	-8.7	Pass	
15:29	Benzene	100	103	3.0	Pass	
	Toluene	100	97.6	-2.4	Pass	
	Xylenes	200	203	1.5	Pass	
15:31	Ethylene	50	53.1	6.2	Pass	
	Propylene	50	48	-4.0	Pass	
	1-Butene	50	44.1	-11.8	Pass	
	1-Pentene	50	45.7	-8.6	Pass	
	1-Hexene	50	46.7	-6.6	Pass	
	1,3-Butadiene	50	44.1	-11.8	Pass	

CCND Mobile Monitoring Van
2022 Q4

Instrument Calibration Check						
Date	Time	Calibration Gas Component	Calibration Value (ppb v)	Response (ppb v)	Difference (% of value)	Pass/Fail
11/15/2022	11:08	Ethylene	50	47.3	-5.4	Pass
		Propylene	50	53.3	6.6	Pass
		1-Butene	50	48	-4.0	Pass
		1-Pentene	50	47.2	-5.6	Pass
		1-Hexene	50	52	4.0	Pass
		1,3-Butadiene	50	49.8	-0.4	Pass
	11:10	Benzene	100	102	2.0	Pass
		Toluene	100	98.4	-1.6	Pass
		Xylenes	200	206	3.0	Pass
	11:17	Benzene	20	19.1	-4.5	Pass
		Toluene	20	19.3	-3.5	Pass
		Xylenes	40	38.3	-4.3	Pass
	11:20	HCN	25	26	4.0	Pass
	11:29	H ₂ S	100	97.8	-2.2	Pass
	11:31	H ₂ S	20	21.6	8.0	Pass
	11:33	Propane	150	139	-7.3	Pass
		Butane	150	142	-5.3	Pass
		Pentane	150	142	-5.3	Pass
		Hexane	150	149	-0.7	Pass
		Heptane	150	139	-7.3	Pass
17:13	HCN	25	25.1	0.4	Pass	
17:22	H ₂ S	50	46.7	-6.6	Pass	
17:24	Propane	150	145	-3.3	Pass	
	Butane	150	142	-5.3	Pass	
	Pentane	150	138	-8.0	Pass	
	Hexane	150	141	-6.0	Pass	
	Heptane	150	147	-2.0	Pass	
17:27	Benzene	100	99.4	-0.6	Pass	
	Toluene	100	97.3	-2.7	Pass	
	Xylenes	200	196	-2.0	Pass	
15:29	Ethylene	50	56.3	12.6	Pass	
	Propylene	50	54.3	8.6	Pass	
	1-Butene	50	52.2	4.4	Pass	
	1-Pentene	50	51	2.0	Pass	
	1-Hexene	50	54.5	9.0	Pass	
	1,3-Butadiene	50	53.4	6.8	Pass	

CCND Mobile Monitoring Van
2022 Q4

Instrument Calibration Check						
Date	Time	Calibration Gas Component	Calibration Value (ppb v)	Response (ppb v)	Difference (% of value)	Pass/Fail
11/16/2022	8:52	Ethylene	50	51.5	3.0	Pass
		Propylene	50	55.9	11.8	Pass
		1-Butene	50	49.1	-1.8	Pass
		1-Pentene	50	52.6	5.2	Pass
		1-Hexene	50	55.5	11.0	Pass
		1,3-Butadiene	50	51.3	2.6	Pass
	9:04	Benzene	100	102	2.0	Pass
		Toluene	100	99	-1.0	Pass
		Xylenes	200	210	5.0	Pass
	9:15	Benzene	20	19.2	-4.0	Pass
		Toluene	20	18.3	-8.5	Pass
		Xylenes	40	38.9	-2.8	Pass
	8:59	HCN	25	25.5	2.0	Pass
	9:24	H ₂ S	100	99.9	-0.1	Pass
	9:26		20	19.4	-3.0	Pass
	8:48	Propane	150	151	0.7	Pass
		Butane	150	139	-7.3	Pass
		Pentane	150	153	2.0	Pass
		Hexane	150	146	-2.7	Pass
		Heptane	150	152	1.3	Pass
15:28	HCN	25	26.4	5.6	Pass	
15:36	H ₂ S	50	49.1	-1.8	Pass	
15:39	Propane	150	139	-7.3	Pass	
	Butane	150	135	-10.0	Pass	
	Pentane	150	132	-12.0	Pass	
	Hexane	150	140	-6.7	Pass	
	Heptane	150	138	-8.0	Pass	
15:51	Benzene	100	105	5.0	Pass	
	Toluene	100	97.2	-2.8	Pass	
	Xylenes	200	213	6.5	Pass	
15:59	Ethylene	50	42.9	-14.2	Pass	
	Propylene	50	47.6	-4.8	Pass	
	1-Butene	50	45.7	-8.6	Pass	
	1-Pentene	50	50.2	0.4	Pass	
	1-Hexene	50	45.2	-9.6	Pass	
	1,3-Butadiene	50	52.7	5.4	Pass	

CCND Mobile Monitoring Van
2022 Q4

Instrument Calibration Check						
Date	Time	Calibration Gas Component	Calibration Value (ppb v)	Response (ppb v)	Difference (% of value)	Pass/Fail
11/17/2022	9:45	Ethylene	50	50.1	0.2	Pass
		Propylene	50	50.2	0.4	Pass
		1-Butene	50	46.2	-7.6	Pass
		1-Pentene	50	50.9	1.8	Pass
		1-Hexene	50	47.7	-4.6	Pass
		1,3-Butadiene	50	50.4	0.8	Pass
	9:49	Benzene	100	100	0.0	Pass
		Toluene	100	94.7	-5.3	Pass
		Xylenes	200	191	-4.5	Pass
	9:51	HCN	25	24.3	-2.8	Pass
	9:57	H ₂ S	100	97.3	-2.7	Pass
	9:59	Propane	150	142	-5.3	Pass
		Butane	150	146	-2.7	Pass
		Pentane	150	145	-3.3	Pass
		Hexane	150	137	-8.7	Pass
		Heptane	150	146	-2.7	Pass
	17:08	HCN	25	22.9	-8.4	Pass
	17:12	H ₂ S	50	51.4	2.8	Pass
	17:15	Propane	150	141	-6.0	Pass
Butane		150	138	-8.0	Pass	
Pentane		150	145	-3.3	Pass	
Hexane		150	137	-8.7	Pass	
Heptane		150	149	-0.7	Pass	
17:18	Benzene	100	99.6	-0.4	Pass	
	Toluene	100	94.9	-5.1	Pass	
	Xylenes	200	198	-1.0	Pass	
17:21	Ethylene	50	48.8	-2.4	Pass	
	Propylene	50	48.1	-3.8	Pass	
	1-Butene	50	45.9	-8.2	Pass	
	1-Pentene	50	46.7	-6.6	Pass	
	1-Hexene	50	47.5	-5.0	Pass	
	1,3-Butadiene	50	48.2	-3.6	Pass	

CCND Mobile Monitoring Van
2022 Q4

Instrument Calibration Check						
Date	Time	Calibration Gas Component	Calibration Value (ppb v)	Response (ppb v)	Difference (% of value)	Pass/Fail
11/18/2022	8:58	Ethylene	50	51.8	3.6	Pass
		Propylene	50	55.7	11.4	Pass
		1-Butene	50	52.7	5.4	Pass
		1-Pentene	50	51.8	3.6	Pass
		1-Hexene	50	51.1	2.2	Pass
		1,3-Butadiene	50	51.6	3.2	Pass
	9:02	Benzene	100	104	4.0	Pass
		Toluene	100	98.1	-1.9	Pass
		Xylenes	200	208	4.0	Pass
	9:07	Benzene	20	19.3	-3.5	Pass
		Toluene	20	19.2	-4.0	Pass
		Xylenes	40	38.4	-4.0	Pass
	9:09	HCN	25	24.3	-2.8	Pass
	9:17	H ₂ S	100	99.9	-0.1	Pass
	9:20		20	20.9	4.5	Pass
	9:23	Propane	150	149.1	-0.6	Pass
		Butane	150	143.4	-4.4	Pass
		Pentane	150	147.1	-1.9	Pass
		Hexane	150	146.2	-2.5	Pass
		Heptane	150	151.2	0.8	Pass
14:04	HCN	25	25.4	1.6	Pass	
14:08	H ₂ S	50	48.1	-3.8	Pass	
14:10	Propane	150	142	-5.3	Pass	
	Butane	150	144	-4.0	Pass	
	Pentane	150	139	-7.3	Pass	
	Hexane	150	148	-1.3	Pass	
	Heptane	150	154	2.7	Pass	
14:14	Benzene	100	99.8	-0.2	Pass	
	Toluene	100	95.4	-4.6	Pass	
	Xylenes	200	197	-1.5	Pass	
14:16	Ethylene	50	52.4	4.8	Pass	
	Propylene	50	46.4	-7.2	Pass	
	1-Butene	50	43.8	-12.4	Pass	
	1-Pentene	50	47.2	-5.6	Pass	
	1-Hexene	50	46.9	-6.2	Pass	
	1,3-Butadiene	50	50.1	0.2	Pass	

CCND Mobile Monitoring Van
2022 Q4

Suncor 4th Quarter PTR Parameters
11/13 – 11/18/22
Initial Calibration Checks

The screenshot displays a control interface with two main sections. The top section contains a list of parameters with 'Man/Ctrl' and 'Ctrl' columns. The bottom section, titled 'U', contains a table of voltage-related parameters.

	Man/Ctrl	Ctrl
Setting	Odor	
Primary Ion	H3O+	
Transmission	DC	
PC	349.9	349.90 mbar
p Drift	2.30	2.29 mbar
TofLens		4.70E-5 mbar
TOF		1.03E-6 mbar
E/N		120 Td
Temps	80.20 °C	80.10 °C
SrcValve	50.0	
H2O	6.0	6.00 sccm
O2	0.0	0.00 sccm
NO	0.0	0.00 sccm
Ihc	4	4.0 mA
	On/Off	On
FCinlet	60.0	59.97 sccm


U	FU	°C	↔	↔
Us	150			145.0 V
Uso	80			78.6 V
Udrift	525			526.1 V

Hex1		OP
OFF/ON	<input checked="" type="checkbox"/>	ON
Frequency	6.00	6.00Mhz
Amplitude	95.0	57.1V
Offset	- 0.70	-0.67V

Production Settings

CCND Mobile Monitoring Van
2022 Q4

TPS 11-12-22 TOF Voltages.ITPS *Changed*



Lens 1	14.0	14.0 V	All on <input checked="" type="checkbox"/>	
Lens 2	30.0	30.0 V	Lenses <input checked="" type="checkbox"/>	
Lens 3	20.0	20.0 V		
Lens 4	60.0	60.0 V		
Lens 5	70.0	70.0 V		
Lens 6	80.0	80.0 V		
Lens 7	17.0	17.0 V		
Push L	16.5	16.0 V	<input checked="" type="checkbox"/>	3 mA
Push H	790.0	790.0 V	<input checked="" type="checkbox"/>	3 mA
Pull L	80.0	80.0 V	<input checked="" type="checkbox"/>	3 mA
Pull H	680.0	680.0 V	<input checked="" type="checkbox"/>	3 mA
Grid	2400.0	2282.0 V	<input checked="" type="checkbox"/>	1 μ A
Cage	5020.0	4766 V	<input checked="" type="checkbox"/>	99 μ A
Refl. Grid	667.0	634.0 V	<input checked="" type="checkbox"/>	75 μ A
Refl. Back	900.0	855.0 V	<input checked="" type="checkbox"/>	167 μ A
MCP F	5400	5134 V	<input checked="" type="checkbox"/>	17 μ A
MCP B	2570	2471 V	<input checked="" type="checkbox"/>	225 μ A

TOF Settings

CCND Mobile Monitoring Van
2022 Q4

Acquisition ACQ active

Single Spec Time (ms) 1000
Extraction time (µs) 5.0 372.7 amu
max Flighttime(µs) 32.0 31.25 kHz

Data Save Settings

Spec Trace Raw
Time Duration
02:00:00 Single File Duration
12 Number of Files To Store
C:\lonicon\data
 Add File Count Extension
 New ACQ for new file
<year>_<month>_<day>\
Data_<hour>_<minute>_<second>
2022_11_12\Data_18_06_25_part_XXX

Mass Axis Calibration

Cal 30 sec

Mass	TimeBin		
21.0220	15984	⊗	a 15008
203.9400	161505	⊗	b -52822.1
330.8500	220161	⊗	

Acquisition Settings

H...

Hex1 OP
 OFF/ON ON
Frequency 6.00 6.00Mhz
Amplitude 95.0 57.4V
Offset - 0.70 -0.67V

Hexapole Settings

CCND Mobile Monitoring Van
2022 Q4

11-14-22 Western Hills Neighborhood
PTR Operating Parameters

Setting	Current Set			
Primary Ion	H3O+			
Transmission	DC			
	Man/Ctrl	Ctrl		
PC	352.4	352.39 mbar		
p Drift	2.30	2.29 mbar		
TofLens		4.50E-5 mbar		
TOF		6.93E-7 mbar		
E/N		120 Td		
Temps	80.10 °C	80.00 °C		
SrcValve	50.0			
H2O	6.0	6.00 sccm		
O2	0.0	0.00 sccm		
NO	0.0	0.00 sccm		
Ihc	4	4.0 mA		
	On/Off	On		
FCinlet	60.0	60.03 sccm		
U	FU	°C	D→	D←
Us	150			145.3 V
Uso	80			78.6 V
Udrift	525			526.1 V

Production Settings


CCND Mobile Monitoring Van
2022 Q4

TPS 11-12-22 TOF Voltages.iTPS *Changed*


Lens 1	14.0	15.0 V		All on <input checked="" type="checkbox"/>
Lens 2	30.0	30.0 V		Lenses <input checked="" type="checkbox"/>
Lens 3	20.0	20.0 V		
Lens 4	60.0	60.0 V		
Lens 5	70.0	69.0 V		
Lens 6	80.0	80.0 V		
Lens 7	17.0	17.0 V		
Push L	16.5	16.0 V	<input checked="" type="checkbox"/>	3 mA
Push H	790.0	790.0 V	<input checked="" type="checkbox"/>	2 mA
Pull L	80.0	80.0 V	<input checked="" type="checkbox"/>	3 mA
Pull H	680.0	680.0 V	<input checked="" type="checkbox"/>	3 mA
Grid	2400.0	2283.0 V	<input checked="" type="checkbox"/>	1 μ A
Cage	5020.0	4768 V	<input checked="" type="checkbox"/>	99 μ A
Refl. Grid	667.0	634.0 V	<input checked="" type="checkbox"/>	75 μ A
Refl. Back	900.0	855.0 V	<input checked="" type="checkbox"/>	167 μ A
MCP F	5400	5134 V	<input checked="" type="checkbox"/>	17 μ A
MCP B	2570	2461 V	<input checked="" type="checkbox"/>	221 μ A

TOF Voltages

CCND Mobile Monitoring Van
2022 Q4




Acquisition Settings




Hexapole Settings


CCND Mobile Monitoring Van 2022 Q4



Hydronium Ion Trace



Western Hills



End Western Hills

CCND Mobile Monitoring Van
2022 Q4

PTR Operating Parameters
11-15-22 Dupont

The screenshot displays the PTR Operating Parameters software interface. The main window shows a list of parameters with their current values and control options. The parameters are organized into two columns: 'Man/Ctrl' and 'Ctrl'. The parameters include:

Parameter	Man/Ctrl	Ctrl
PC	350.9	350.97 mbar
p Drift	2.30	2.30 mbar
TofLens		4.70E-5 mbar
TOF		1.00E-6 mbar
E/N		120 Td
Temps	80.10 °C	80.00 °C
SrcValve	50.0	
H2O	6.0	6.01 sccm
O2	0.0	0.00 sccm
NO	0.0	0.00 sccm
Ihc	4	4.0 mA
	On/Off	On
FCinlet	60.0	60.07 sccm

Below the main parameters, there is a section labeled 'U' with a table of values:

Parameter	FU	°C	D	D*
Us	150			145.0 V
Uso	80			78.6 V
Udrift	525			526.1 V

At the bottom of the screenshot, there is a smaller window titled 'Hex1' with the following settings:

Hex1		OP
OFF/ON	<input checked="" type="checkbox"/>	ON
Frequency	6.00	6.00Mhz
Amplitude	95.0	56.1V
Offset	- 0.70	-0.67V

Production Settings

CCND Mobile Monitoring Van
2022 Q4




TPS 11-12-22 TOF Voltages.iTPS *Changed*

Lens 1	14.0	14.0 V		
Lens 2	30.0	30.0 V		
Lens 3	20.0	20.0 V		
Lens 4	60.0	60.0 V		
Lens 5	70.0	69.0 V		
Lens 6	80.0	80.0 V		
Lens 7	17.0	17.0 V		
Push L	16.5	16.0 V	<input checked="" type="checkbox"/>	3 mA
Push H	790.0	790.0 V	<input checked="" type="checkbox"/>	3 mA
Pull L	80.0	80.0 V	<input checked="" type="checkbox"/>	3 mA
Pull H	680.0	680.0 V	<input checked="" type="checkbox"/>	3 mA
Grid	2400.0	2282.0 V	<input checked="" type="checkbox"/>	1 μ A
Cage	5020.0	4766 V	<input checked="" type="checkbox"/>	99 μ A
Refl. Grid	667.0	634.0 V	<input checked="" type="checkbox"/>	75 μ A
Refl. Back	900.0	855.0 V	<input checked="" type="checkbox"/>	167 μ A
MCP F	5400	5134 V	<input checked="" type="checkbox"/>	17 μ A
MCP B	2570	2473 V	<input checked="" type="checkbox"/>	227 μ A

TOF Lens Voltages

CCND Mobile Monitoring Van
2022 Q4

Acquisition ACQ active

Single Spec Time (ms) 1000

Extraction time (μs) 5.0 372.4 amu

max Flighttime(μs) 32.0 31.25 kHz

Data Save Settings

Spec Trace Raw

Time Duration [v]

02:00:00 Single File Duration

12 Number of Files To Store

C:\lonicon\data





Add File Count Extension




New ACQ for new file

<year>_<month>_<day>\
Data_<hour>_<minute>_<second>

2022_11_15\Data_07_41_06_part_XXX


Mass Axis Calibration AutoCAL done

    30 sec

Mass	TimeBin			
21.0220	16021		^	a 15015.1
203.9400	161611			b -52817.9
330.8500	220295		v	

Acquisition Settings

CCND Mobile Monitoring Van 2022 Q4



Dupont Neighborhood

CCND Mobile Monitoring Van
2022 Q4

11-16-2 PTR Parameters
Pioneer Park

The screenshot displays a control interface with the following parameters and values:

Parameter	Man/Ctrl	Ctrl
Setting	Odor	
Primary Ion	H3O+	
Transmission	DC	
PC	352.0	352.00 mbar
p Drift	2.30	2.29 mbar
TofLens		4.85E-5 mbar
TOF		7.75E-7 mbar
E/N		120 Td
Temps	80.10 °C	80.00 °C
SrcValve	50.0	
H2O	6.0	6.00 sccm
O2	0.0	0.00 sccm
NO	0.0	0.00 sccm
Ihc	4	4.0 mA
	On/Off	On
FCinlet	60.0	60.00 sccm

U	FU	°C	D→	D←
Us	150			145.0 V
Uso	80			78.6 V
Udrift	525			526.1 V

Hex1 Settings:

- OFF/ON: (Buttons: OP, ON)
- Frequency: 6.00 (6.00Mhz)
- Amplitude: 95.0 (58.1V)
- Offset: - 0.70 (-0.67V)

Production Settings

CCND Mobile Monitoring Van
2022 Q4

TPS 11-12-22 TOF Voltages.iTPS *Changed*




Lens 1	14.0	14.0 V		
Lens 2	30.0	30.0 V		
Lens 3	20.0	20.0 V		
Lens 4	60.0	60.0 V		
Lens 5	70.0	70.0 V		
Lens 6	80.0	80.0 V		
Lens 7	17.0	17.0 V		
Push L	16.5	16.0 V	<input checked="" type="checkbox"/>	3 mA
Push H	790.0	790.0 V	<input checked="" type="checkbox"/>	3 mA
Pull L	80.0	80.0 V	<input checked="" type="checkbox"/>	3 mA
Pull H	680.0	680.0 V	<input checked="" type="checkbox"/>	3 mA
Grid	2400.0	2282.0 V	<input checked="" type="checkbox"/>	1 μ A
Cage	5020.0	4766 V	<input checked="" type="checkbox"/>	99 μ A
Refl. Grid	667.0	634.0 V	<input checked="" type="checkbox"/>	75 μ A
Refl. Back	900.0	855.0 V	<input checked="" type="checkbox"/>	167 μ A
MCP F	5400	5134 V	<input checked="" type="checkbox"/>	17 μ A
MCP B	2570	2465 V	<input checked="" type="checkbox"/>	224 μ A

All on
Lenses

TOF Voltages

CCND Mobile Monitoring Van
2022 Q4

Acquisition ACQ active

Single Spec Time (ms)	1000	
Extraction time (μs)	5.0	372.3 amu
max Flighttime(μs)	32.0	31.25 kHz

Data Save Settings

Spec Trace Raw

Time Duration v

02:00:00 v Single File Duration

12 v Number of Files To Store

C:\lonicon\data v





Add File Count Extension




New ACQ for new file

<year>_<month>_<day>\
Data_<hour>_<minute>_<second> v

2022_11_16\Data_08_34_32_part_XXX



Mass Axis Calibration

    Cal 30 sec v

Mass	TimeBin			
21.0220	16021		^	a 15017.1
203.9400	161630		█	b -52827
330.8500	220322		v	

Acquisition Settings

CCND Mobile Monitoring Van 2022 Q4



Pioneer Park

CCND Mobile Monitoring Van
2022 Q4

11-17-22 Parameters
Globeville and Elyra-Swansea

The screenshot displays a control interface with two main sections. The top section is a parameter control panel with a table of values. The bottom section is a 'Hex1' control window with its own set of parameters.

	Man/Ctrl	Ctrl
PC	352.6	352.58 mbar
p Drift	2.30	2.29 mbar
TofLens		4.79E-5 mbar
TOF		7.06E-7 mbar
E/N		120 Td
Temps	80.00 °C	80.10 °C
SrcValve	50.0	
H2O	6.0	6.00 sccm
O2	0.0	0.00 sccm
NO	0.0	0.00 sccm
Ihc	4	4.0 mA
	On/Off	On
FCinlet	60.0	59.95 sccm

U	FU	°C	D>	D<
Us	150			145.0 V
Uso	80			78.6 V
Udrift	525			526.1 V

Hex1 OP ON

OFF/ON	<input checked="" type="checkbox"/>	
Frequency	6.00	6.00Mhz
Amplitude	95.0	58.4V
Offset	- 0.70	-0.67V

Production Settings

CCND Mobile Monitoring Van
2022 Q4

TPS 11-12-22 TOF Voltages.iTPS *Changed*

Lens 1	14.0	14.0 V	<input checked="" type="checkbox"/>	All on
Lens 2	30.0	30.0 V	<input checked="" type="checkbox"/>	Lenses
Lens 3	20.0	20.0 V		
Lens 4	60.0	60.0 V		
Lens 5	70.0	69.0 V		
Lens 6	80.0	80.0 V		
Lens 7	17.0	17.0 V		
Push L	16.5	16.0 V	<input checked="" type="checkbox"/>	3 mA
Push H	790.0	790.0 V	<input checked="" type="checkbox"/>	2 mA
Pull L	80.0	80.0 V	<input checked="" type="checkbox"/>	3 mA
Pull H	680.0	680.0 V	<input checked="" type="checkbox"/>	3 mA
Grid	2400.0	2283.0 V	<input checked="" type="checkbox"/>	1 μ A
Cage	5020.0	4766 V	<input checked="" type="checkbox"/>	99 μ A
Refl. Grid	667.0	634.0 V	<input checked="" type="checkbox"/>	75 μ A
Refl. Back	900.0	855.0 V	<input checked="" type="checkbox"/>	167 μ A
MCP F	5400	5134 V	<input checked="" type="checkbox"/>	17 μ A
MCP B	2570	2464 V	<input checked="" type="checkbox"/>	223 μ A

TOF Voltages

CCND Mobile Monitoring Van 2022 Q4

Acquisition ACQ active

Single Spec Time (ms) 1000

Extraction time (μs) 5.0 372.1 amu

max Flighttime(μs) 32.0 31.25 kHz

Data Save Settings

Spec Trace Raw

Time Duration

02:00:00 Single File Duration

12 Number of Files To Store

C:\lonicon\data

Add File Count Extension

New ACQ for new file

<year>_<month>_<day>\

Data_<hour>_<minute>_<second>


2022_11_17\Data_09_27_35_part_XXX

Mass Axis Calibration

Cal 30 sec


Mass	TimeBin		
21.0220	16038	Cal	a 15021.7
203.9400	161691	Cal	b -52831.5
330.8500	220401	Cal	

Acquisition Settings




Field Zero Counts

CCND Mobile Monitoring Van 2022 Q4



Globeville



Elyra-Swansea

CCND Mobile Monitoring Van
2022 Q4



11-18-22 PTR Parameters
Adams City

Setting		Odor	
Primary Ion		H3O+	
Transmission		DC	
	Man/Ctrl		Ctrl
PC	352.8		352.81 mbar
p Drift	2.30		2.31 mbar
TofLens			4.91E-5 mbar
TOF			7.45E-7 mbar
E/N			120 Td
Temps	80.10 °C		80.10 °C
SrcValve	50.0		
H2O	6.0		6.00 sccm
O2	0.0		0.00 sccm
NO	0.0		0.00 sccm
Ihc	4		4.0 mA
	On/Off		On
FCinlet	60.0		60.04 sccm
U	FU	°C	D*
Us	150		145.0 V
Uso	80		78.6 V
Udrift	525		526.1 V

Production Settings

CCND Mobile Monitoring Van
2022 Q4

TPS 11-12-22 TOF Voltages.iTPS *Changed*

Lens 1	14.0	14.0 V	All on <input checked="" type="checkbox"/>	
Lens 2	30.0	30.0 V	Lenses <input checked="" type="checkbox"/>	
Lens 3	20.0	20.0 V		
Lens 4	60.0	60.0 V		
Lens 5	70.0	70.0 V		
Lens 6	80.0	80.0 V		
Lens 7	17.0	17.0 V		
Push L	16.5	16.0 V	<input checked="" type="checkbox"/>	3 mA
Push H	790.0	790.0 V	<input checked="" type="checkbox"/>	2 mA
Pull L	80.0	80.0 V	<input checked="" type="checkbox"/>	3 mA
Pull H	680.0	680.0 V	<input checked="" type="checkbox"/>	3 mA
Grid	2400.0	2283.0 V	<input checked="" type="checkbox"/>	1 μ A
Cage	5020.0	4766 V	<input checked="" type="checkbox"/>	99 μ A
Refl. Grid	667.0	634.0 V	<input checked="" type="checkbox"/>	75 μ A
Refl. Back	900.0	855.0 V	<input checked="" type="checkbox"/>	167 μ A
MCP F	5400	5134 V	<input checked="" type="checkbox"/>	17 μ A
MCP B	2570	2463 V	<input checked="" type="checkbox"/>	225 μ A

H...

Hex1 OP

OFF/ON ON

Frequency 6.00 6.00Mhz

Amplitude 95.0 58.4V

Offset - 0.70 -0.67V

< >

TOF Voltages

CCND Mobile Monitoring Van 2022 Q4

Acquisition ACQ active

Single Spec Time (ms) 1000

Extraction time (μs) 5.0 372,4 amu

max Flighttime(μs) 32.0 31.25 kHz

Data Save Settings

Spec Trace Raw

Time Duration

02:00:00 Single File Duration

12 Number of Files To Store

C:\lonicon\data

Add File Count Extension

New ACQ for new file

<year>_<month>_<day>\
Data_<hour>_<minute>_<second>


2022_11_17\Data_09_27_35_part_XXX

Mass Axis Calibration

30 sec


Mass	TimeBin		
21.0220	16012	Cal	a 15015.6
203.9400	161607	Cal	b -52828.8
330.8500	220293	Cal	

Acquisition Settings




Field Zero

CCND Mobile Monitoring Van 2022 Q4




Adams City

Initial Calibration Screen Shots 11-13-22




BTEX 250, 50, 20 and 5 ppb Cal




100, 50 and 10 ppb Alkenes Cal

CCND Mobile Monitoring Van 2022 Q4



125, 25, 10 and 5 ppb H₂S Cals



500, 250, 100 and 25 ppb Alkanes

APPENDIX E

CALIBRATION GAS CERTIFICATION SHEETS

CERTIFICATE OF ANALYSIS

Grade of Product: CERTIFIED STANDARD-SPEC

Customer: MONTROSE AIR QUALITY SERVICES LLC
Part Number: X02NI99C15W0061
Cylinder Number: CC519990
Laboratory: 124 - La Porte Mix - TX
Analysis Date: Dec 14, 2021
Lot Number: 126-402278540-1

Reference Number: 126-402278540-1
Cylinder Volume: 144.3 CF
Cylinder Pressure: 2015 PSIG
Valve Outlet: 330

Expiration Date: Dec 14, 2024

Product composition verified by direct comparison to calibration standards traceable to N.I.S.T. weights and/or N.I.S.T. Gas Mixture reference materials.

ANALYTICAL RESULTS

Component	Req Conc	Actual Concentration (Mole %)	Analytical Uncertainty
HYDROGEN SULFIDE	1,000 PPM	1,084 PPM	+/-5%
NITROGEN	Balance		

Notes: MONTROSE AIR QUALITY SERVICES LLC
PO3: PO018078



Signature on file
Approved for Release



Airgas Specialty Gases
Airgas USA, LLC
616 Miller Cut Off Road
La Porte, TX 77571
Airgas.com

CERTIFICATE OF ANALYSIS

Grade of Product: CERTIFIED STANDARD-SPEC

Customer: *CRYSTAL LAKE , IL* MONTROSE AIR QUALITY SERVICES
Part X06NI99C15A00A3
Number:
Cylinder CC344804
Number:
Laboratory: 124 - La Porte Mix - TX
Analysis Jul 30, 2021
Date:
Lot Number: 126-402159020-1
Reference Number: 126-402159020-1
Cylinder Volume: 144.3 CF
Cylinder Pressure: 2015 PSIG
Valve Outlet: 350
Expiration Date: Jul 30, 2024

Product composition verified by direct comparison to calibration standards traceable to N.I.S.T. weights and/or N.I.S.T. Gas Mixture reference materials.

ANALYTICAL RESULTS

Component	Req Conc	Actual Concentration (Mole %)	Analytical Uncertainty
HEXANE	1.000 PPM	0.9950 PPM	+/- 5%
N BUTANE	1.000 PPM	1.002 PPM	+/- 5%
N HEPTANE	1.000 PPM	1.000 PPM	+/- 5%
N PENTANE	1.000 PPM	1.000 PPM	+/- 5%
PROPANE	1.000 PPM	1.009 PPM	+/- 5%
NITROGEN	Balance		

Notes:

PO # PO-011307




Approved for Release



Airgas USA, LLC
4646 Linden Rd
Rockford, IL 61109
Airgas.com

CERTIFICATE OF BATCH ANALYSIS

Grade of Product: ZERO

Part Number:	AI Z15A	Reference Number:	152-402047887-1
Cylinder Analyzed:	CC235228	Cylinder Volume:	146.0 CF
Laboratory:	192 - Rockford IL Fill Plant (N513) - IL	Cylinder Pressure:	2000 PSIG
Analysis Date:	Mar 03, 2021	Valve Outlet:	590
Lot Number:	152-402047887-1		

ANALYTICAL RESULTS

Component	Requested Purity	Certified Concentration
AIR		
THC	< 1.0 PPM	0.043 PPM
Percent Oxygen	20-22 %	20.82 %
Moisture	< 3.0 PPM	0.07 PPM

Cylinders in Batch:
CC235228, XC002876B

Impurities verified against analytical standards traceable to NIST by weight and/or analysis.

Signature on file

Approved for Release

Page 1 of 152-402047887-1



Airgas USA, LLC
6141 Easton Road
Bldg 1
Plumsteadville, PA 18949
Airgas.com

CERTIFICATE OF ANALYSIS

Grade of Product: CERTIFIED STANDARD-SPEC

Customer:	MONTROSE ENVIRONMENTAL GROUP	Reference Number:	160-401735121-1
Part Number:	X02AI99C15AH586	Cylinder Volume:	129.3 CF
Cylinder Number:	ALM060589	Cylinder Pressure:	2016 PSIG
Laboratory:	124 - Plumsteadville - PA	Valve Outlet:	590
Analysis Date:	Feb 19, 2020		
Lot Number:	160-401735121-1		

Expiration Date: Feb 19, 2023

Product composition verified by direct comparison to calibration standards traceable to N.I.S.T. weights and/or N.I.S.T. Gas Mixture reference materials.

ANALYTICAL RESULTS

Component	Req Conc	Actual Concentration (Mole %)	Analytical Uncertainty
BENZENE	1.000 PPM	1.055 PPM	+/- 5%
AIR	Balance		





Airgas Specialty Gases
Airgas USA, LLC
616 Miller Cut Off Road
La Porte, TX 77571
Airgas.com

CERTIFICATE OF ANALYSIS

Grade of Product: CERTIFIED STANDARD-SPEC

Customer: MONTROSE AIR QUALITY SERVICES LLC - CRYSTAL LAKE

Part X07NI99C15A00A9

Reference Number: 126-402159021-1

Number:

Cylinder CC164840

Cylinder Volume: 144.3 CF

Number:

Laboratory: 124 - La Porte Mix - TX

Cylinder Pressure: 2015 PSIG

Analysis Aug 09, 2021

Valve Outlet: 350

Date:

Lot Number: 126-402159021-1

Expiration Date: Aug 09, 2023

Product composition verified by direct comparison to calibration standards traceable to N.I.S.T. weights and/or N.I.S.T. Gas Mixture reference materials.

ANALYTICAL RESULTS

Component	Req Conc	Actual Concentration (Mole %)	Analytical Uncertainty
1 BUTENE	1.000 PPM	0.9918 PPM	+/- 5%
1 HEXENE	1.000 PPM	1.003 PPM	+/- 5%
1 PENTENE	1.000 PPM	1.005 PPM	+/- 5%
1,3 BUTADIENE	1.000 PPM	1.005 PPM	+/- 5%
ETHYLENE	1.000 PPM	1.087 PPM	+/- 5%
PROPYLENE	1.000 PPM	1.006 PPM	+/- 5%
NITROGEN	Balance		

Notes:

MONTROSE AIR QUALITY SERVICES LLC

PO#: PO-011307

NITROGEN BALANCE : 99.99939022%




Approved for Release

THIS IS THE LAST PAGE OF THIS DOCUMENT